



# vinci play



*idverde*



**200 mln of  
happy kids**



**2800  
material variants**



**Advanced  
production  
processes**



**Compliant with  
safety standards**



**High quality**



**Over 50 countries  
all over the world**



**Up to 30 years'  
guarantee on  
components**



**ISO and TÜV  
certificates**

# A new era for Vinci Play

Vinci Play is a company bringing happiness to children all around the world.



At Vinci Play, we focus on people who, working in the spirit of sustainable development, create colorful, aesthetic and safe playground equipment that bring happiness to children around the world.

Our inventive designs stimulate children's unbridled curiosity while encouraging them to play together. Millions of satisfied children play on our products every day which are installed in over 50 countries around the world.

Operating on a global market, we understand how important it is to consciously manage our social, environmental and organizational impacts. We listen carefully to the opinions of our stakeholders, look for new solutions every day and never lose sight of what is most important such as business values.

Our professional approach makes us a reliable business partner for companies and institutions that are looking for a competent manufacturer of playgrounds. Our factories are equipped with the latest equipment, including welding robots, 3D and 2D lasers and many other devices, enable efficient and effective order fulfillment. Overall, we employ over 300 people from around the world, and we all have one goal: to witness children's joy in a safe, inspiring and fabulously colorful environment.





# We care for the environment


For years, we have been producing construction elements for playgrounds based on modern technologies of plastic waste processing. Since 2014, the cores of all HDPE panels that we use in our production of play equipment are made of recycled materials. On the other hand, wooden structures of Vinci Play playgrounds are made of wood obtained in accordance with the principles of sustainable forest management. Consequently, we support the ecological balance of our planet. Recycled devices are a perfect fit for global efforts to keep lands and oceans clean, lower the emission of carbon dioxide and to protect the earth's precious resources. Separation of plastic waste and its processing into eco-raw materials are an important element on the way to the "green" future of our children and future generations. Meet the eco-methods of Vinci Play:



Roofs, side panels and manual elements are made of HDPE panels, which are made of recycled ocean nets and ropes.



The construction posts of the equipment are made of highly durable raw material, which is made of recycled textiles and foil.



Using raw Robinia acacia wood, without any chemicals in the form of impregnations and paints, we contribute to the reduction of CO<sub>2</sub> emissions.



Wooden elements of playgrounds are made of wood from certified suppliers managing forests in accordance with the principles of sustainable forest management.

# Get to know our ecological solutions



## Recycled products

For years, we have been striving to ensure that each element of Vinci Play playgrounds is safe for children and the natural environment. Our posts are made of ecoraw material, which is made on the basis of an innovative technology of processing used clothing and foil. This highly durable, eco-friendly material successfully replaces plastics in towers and ladder structures. Thanks to this, we reduce the amount of textile and foil waste in landfills and incinerators, thus reducing the emission of carbon dioxide to the atmosphere.



## Sustainable raw materials

100% ecological playground? With us, it is possible. Not only posts, but also "green" HDPE panels, which we use to build roofs, side panels and other structural and manual elements of Recycled devices, are made of recycled material. As a result, fishing ropes and nets no longer litter the oceans and land, but constitute a solid building material for our eco HDPE panels. This way, we become part of circular solutions for a clean natural environment and the future of all of us.



## Wood from sustainable forest management

Pleasant to the touch, good-quality wood is the basis of a playground that is friendly to children and adults. When building with wood, we do not want to harm nature, which is why our wood comes from certified farms based on the principles of sustainable forest management. We choose suppliers who source wood in such a way as not to reduce forest resources and preserve their biodiversity.

# Take care of the planet with Vinci Play



At Vinci Play, we want the free fun and joyful laughter of children to resonate in a clean, green environment, both now and in the next several dozen years. That is why we use what is best for the youngest and the natural environment - innovative post-consumer recycled materials. By using recycled materials, we help to reduce the incineration and storage of plastic waste, and we also support the development of new technologies for their processing.



## Recycled plastic

We have replaced ordinary plastic with raw material made from used ropes and fishing nets. By using "green plastic", we reduce the amount of plastic waste on land and in the oceans.



## Textile waste

Our durable posts are made of used textiles and foil. Recycling clothes and bags is key to reducing carbon dioxide emissions and reducing waste in landfills.



## Wood

Our wood comes from controlled farms that care for biodiversity and ecological balance. Sustainable forest management prevents unfavorable climate changes.





## Choose wisely

Now together we can make sure that the present and future generations grow up in safe and healthy environment. By choosing Recycled devices, you will build an ecological playground consisting of structural elements made of post-consumer waste.

Our "green" playgrounds are made of used textiles, foil and ocean nets. In this way, from waste that previously polluted the soil and air, we now create cheerful eco-places for creative play. Recycled devices are not only climate neutral, but also very durable and safe to use.

Playgrounds complying with the principles of the circular economy are our goal, which we persistently pursue. That is why we choose raw material suppliers who recover and process post-consumer waste, minimizing their negative impact on the environment. Ecological playgrounds are a choice for a healthy future for all of us.



# Sustainability at Vinci Play

At Vinci Play, we have been ensuring stable and sustainable growth for many years. Operating on a global market, we understand how important it is to be aware when managing our social, environmental and organizational influences. We listen carefully to the opinions of our stakeholders, we look for new solutions every day and never lose sight of what is most important such as values in business.

Sustainable development is one of the key foundations supporting Vinci Play's business growth strategy. We persist in efforts to ensure that our operational activities support the implementation of the UN Sustainable Development Goals. Our intention is to implement the assumptions of the ESG strategy by 2026, which includes 73 tasks that maximize our positive impact in the value chain. We reflect the global partnership for sustainable development in three pillars which are responsibility: towards people, the planet and the community. Each of them pursues specific goals that provide an answer to the expectations of our stakeholders: employees, customers, social and business partners.

Continuously we invest in social potential, responsible resource management, and product safety and quality. We develop our portfolio in the spirit of a circular economy, we focus on the development of renewable energy sources and education ecological. We want our products to support the development of social bonds in every corner of the world. We believe in strength collective partnership, which is why we are an active signatory of real transformations of the world, which are practical emanation is contained in the maxim "conscious participation in a positive transformation for the good of future generations".





## **For Society**

Vinci Play will support social dialogue and involvement. We intend to develop related projects with ecological education and supporting intergenerational integration and the development of social bonds in the places where we operate. The goals we set for ourselves in this regard include: improving the ESG management structure, raising standards ethics and respect for the rights of stakeholders.

## **For the Planet**

We will intensify actions to mitigate the effects of climate change. We are planning the transformation of our offices and production plants. We will innovate in terms of designing and expanding the product portfolio in spirit circular and low-emission economy, as well as responsible use of natural resources. The goals we set for ourselves in this respect, there is an increase in, among others, measuring carbon footprint emissions, investing in renewable energy, increasing recycling and upcycling of waste.



## **For the People**

Vinci Play intends to increase its efforts to support development of the company's employee potential. The company intends to implement numerous projects in the field of employee safety and health and diversity management. The goals we set for ourselves in this respect, among others: an increase in satisfaction of our employees and establishing partnership cooperation throughout value chain.

# What makes us unique

## Advanced production processes

From the design, through production, all the way to shipping, the highest quality and safety of the playground are our priorities at every step of the way. In the production process, we implement only certified materials, and the multi-stage quality control system ensures that all equipment components that leave our production line meet stringent safety norms. We employ top specialists in their field who ensure a high standard of our products, reliable customer service and professional maintenance service of the equipment. Our modern machine park and advanced production organisation facilitate 4-week order processing. We also offer products with a 7 and 14-days production time and goods that are available directly from the warehouse.

We are proud to offer children, their parents and guardians the guarantee of carefree fun and relaxation on the playground, thanks to the strict safety procedures and quality standards implemented within our company.



## Customer service

Our Customer Service department operates guided by the highest standards of cooperation, confirmed by the ISO 9001: 2015 certificate. The employees of this department endeavour to respond to inquiries addressed to the company within the shortest time possible while meeting the expectations of even the most demanding buyers. We guarantee cooperation based on the understanding of the customer's needs and offer full support at every stage of the contract execution, during the warranty period and afterwards.



## Care for the environment

Care for the natural environment constitutes a vital aspect of our business activities. FSC® certificate number RINA-COC-000904: (licence number FSC® C163573) confirms the use of materials from well-managed FSC certified forests and other controlled sources. We follow the principles of sustainable development in all our undertakings, including the selection of contractors and suppliers. We hold the ISO 14001: 2015 certificate, which confirms the implementation of an environmental-management system.



## Standards and safety

Children's safety is of the utmost importance to us, which is why all Vinci Play equipment complies with the EN 1176 European standard. The products also hold the TÜV Rheinland or TÜV SÜD certificate, which confirms their safety and high quality. Our high-end specialists support the Customer during the playground planning process to guarantee the compliance of the project with the applicable EU safety standards.

## Quality control

All the elements that make up the final Vinci Play equipment undergo a multi-phase and precise quality control to ensure that they comply with the EN 1176 standard. Our quality specialists use modern laboratory, as well as devices and measuring equipment to evaluate the quality of materials at every stage of production – from the acceptance of goods or components, through all manufacturing steps, all the way to packaging and preparation for shipment. Owing to regular controls and audits of our suppliers and contractors, we make sure that we cooperate only with verified companies.



## Laser steel cutting

The LCS laser, which is the most modern integrated system for cutting profiles and metal sheets, enables optimal metal processing parameters, allowing to obtain the best results in the shortest time.

## Welding robots

Welding robots working on matrices built especially for our needs. They increase efficiency thanks to the possibility of carrying out welding processes in a continuous manner. The quality of welding connections is at the highest level thanks to the use of the latest CMT technology. All robots work on high-class welding machines.



## Steel welding

Our products are characterised by the highest quality of welds and a precise finish, which guarantees safe use and durability of our playground equipment. A team of highly-qualified welders, supported by cutting-edge welding robots, ensures the finest quality connections of the steel components.

## Abrasives treatment (shot blasting)

The steel used to manufacture the Vinci Play playground equipment is subjected to a shotblasting cleaning process which allows us to obtain the proper surface, as well as even welds and edges. This ensures better paint adhesion, thus making the product even safer, more durable and even more aesthetically pleasing. We use professional shot-blasting chambers to process elements of different sizes. For hot-dip galvanised steel, we use electrocorundum shot blasting, and in the case of carbon steel, we employ shot blasting using broken cast steel shot.



## Powder coating

Our products are aesthetically pleasing and are available in a wide range of colours thanks to the modern powder coating line. We use the highest quality, child-safe paints which hold the QUALICOAT certificate. Our powder coating process complies with strict standards for the temperature of paint heating, coating thickness and adhesion of the paint to steel elements.



## Welding of stainless steel tubes

The entire production process of stainless steel tube slides is performed by highly-qualified Vinci Play employees. They design the tubes, then roll them with high precision, match all the elements of the device, and finally, connect the components using durable and secure welds. At Vinci Play, we implement high-quality AISI 304 and AISI 316 stainless steel.



## Galvanisation

We always galvanise steel components before applying powder paint. Galvanisation offers effective protection of the metal surface against corrosion caused by atmospheric conditions. We use two types of galvanisation: powder and hot-dip. We store metal components galvanised with the help of both techniques, as this allows us to swiftly process orders of our customers.

## Processing ropes

We use the highest quality 16mm-thick steel ropes with polypropylene or nylon braiding for the manufacturing of climbing equipment and components, as well as for bridges and interlaces. We link them with durable fasteners made of plastic, stainless steel or aluminium. The rope elements are dimensioned, cut to the appropriate length, and then connected using hydraulic presses with a pressure of 150 tons.



## CNC

We purchase the HDPE and HPL sheets that we use for the production of our equipment from leading manufacturers around the world. This ensures that we use components of the highest quality. The plates are machined using CNC milling plotters which guarantee precise cutting and milling. The desired shapes and millings – compatible with even the most complicated design requirements – are characterised by their high aesthetic and educational values and at the same time meet the highest standards of safe use.

## Robinia cutting and milling

The 5-axis Robinia acacia wood cutting and milling machine is an excellent tool for precise execution of even the most complex details. Complemented by meticulous manual work in surface grinding, allows us to achieve the best results for production of the Robinia series.








### Hand made finish

Our experienced carpenters passionately process and finish all wooden elements by hand, and each piece of equipment is built individually. The process is complemented by modern 5D machining centres, which precisely prepare repeatable details. This way, we produce the highest quality elements, fast order fulfilment, and high production efficiency.



### Wood processing

CNC saws and industrial robots precisely cut and machine the wood used for the production of wooden parts of our playground equipment. Chamfering of the wood removes any sharp edges, and four-sided surface sanding prepares the wood for the impregnation process. The high quality of wooden elements guarantees the safety of the equipment, and the automation of the process ensures short manufacturing time and fast order realization.



### Wood painting

For the production of our wooden equipment, we use pine wood which has been glued together in plies under pressure. The process of machining square timbers, which entails sanding, impregnation, painting, drying and hardening, takes place on a fully automated production line. The wood undergoes a multi-stage protection process, which guarantees long-term durability of the wooden parts of our equipment and makes them resistant to weather conditions.

# Materials and components

At Vinci Play, we believe that every detail matters, therefore, for the production of our equipment, we use the highest quality materials and components with certificates, and cooperate with world-renowned manufacturers. Only thanks to this we are able to obtain the final product, which is not only aesthetic and functional, but also safe and compliant with applicable standards.



## Wood

Laminated wood with a cross-section of 90 mm x 90 mm. Top-quality first-class wood: without knots, uniform colour, straight grain. Ground, impregnated and varnished over a multi-stage production process. Protected from the top with durable plastic covers and from the bottom with hot-dip galvanised steel anchors, which secure the wood against direct contact with the ground, and thus prevent the development of rot, consequently extending its life span.



## Robinia wood

Acacia is the most durable wood found in Europe. The wood is characterized by natural, light colours. It does not require impregnation due to the content of many oils, which naturally protect the material very well against weather conditions, rotting processes and pests. Acacia is distinguished by exceptional hardness, resistance to moisture or contact with soil. We obtain this wood from European FSC®-certified forests and other controlled sources.



## Stainless steel

An AISI 304 or AISI 316 stainless steel construction used for the production of playground equipment, slides, tube slides, fasteners and chains. With a smooth surface, it is completely weather-resistant, thus ensuring its long life span.



## Steel components

A steel construction of components is made of profiles with various cross-sections. It is available in the following options:

- hot-dip galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate,
- as a steel construction: shot-blasted, iron-phosphated, powder galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate.



## Composite posts

The durable posts are made of highly resistant raw material with tough surface, which is made of 100% recycled textiles and foil. Recycling clothes and bags is key to reducing carbon dioxide emissions and reducing waste in landfills.



## HEXA platforms

Anti-slip and waterproof HPL or, optionally, waterproof anti-slip plywood. Cross-structured plywood coated with a hot-pressed phenolic film with a honeycomb surface imprint – it offers increased resistance to abrasion, mechanical damage and chemical agents. It is PEFC-certified.



## Recycled HDPE

Green high-density polyethylene panels made of 100% recycled ocean waste such as fishing ropes and nets are used in producing roofs, side panels. This ecological material has high resistance to weather conditions and is UV stabilised, which make them very durable and safe to use.



## HDPE

HDPE is a high-density polyethylene. It represents a high-quality material which is resistant to atmospheric agents, i.e. it is waterproof, resistant to frost, UV radiation or moisture. We use three-layer plates (with a black core made of 100% recycled granulate) for the production of various panels, roofs and other playground components.



## HPL

HPL is a duroplastic laminate cured with polyurethane-acrylic resins, forming a highly resistant surface layer that protects against external factors. HPL sheets are resistant to chemical and biological factors, UV rays and fluctuating weather conditions. This laminate is used for the production of various types of panels, roofs and other playground components. It is PEFC-certified.



## Printed polycarbonate

An excellent alternative to glass, a very durable material with similar transparency, and at the same time twice as light and 200 times more resistant to impacts. Additionally, it is resistant to weather conditions, including UV rays and a wide range of temperatures. Used by us for the production of panels, covers and windows or spherical 3d windows (portholes).



## PP tunnels

Tunnels with a double wall resistant to deformations, made of PP (diameter of 500 or 600 mm). Resistant to wear and tear, acts of vandalism and external factors.



## Ropes

Galvanised steel ropes with a diameter of 16 mm, covered with polypropylene or nylon, connected with plastic, stainless steel or aluminium connectors, resistant to UV radiation, abrasion and rot.



## Climbing stones

Colourful climbing stones made of durable composite resin with mineral fillers; resistant to abrasion and UV radiation.



## Slides

Slides are made of AISI 304 stainless steel, resistant to acts of vandalism and external factors. Our offer also includes versions made of fiberglass. The side panels of a slide are made of HDPE or HPL sheets, which are resistant to weather conditions, including frost and UV radiation.



## Inox slides

Slides made of AISI 304 stainless steel, resistant to vandalism and external factors. Made with attention to every detail, with the highest quality welds, they are an elegant finish for products for playgrounds.



## Tube slides

Slides made of certified AISI 304 and AISI 316 stainless steel. Sheet thickness: 2.5 mm, diameter of the slide: 790 mm, sanded surface. The length of the slide exit depends on the length of the slide itself, the exit cap is made of a pipe with a diameter of 33.7 mm. Available variants: straight, curved or spiral (360 degrees). The tube slides meet the EN 1176 Standard.



## PE tubes

Made of colourful, impact-resistant and scratch-resistant polyethylene (PE) with inside diameter approx. 75cm. Tubes are available in various bright colours, shapes (straight, curved, spiral) and from different heights.



## Anchors

In wooden products we use hot-dip galvanised anchors protecting wood against direct contact with the ground. They prevent rot, thus extend the lifespan of wooden products and ensure many years of use.



## Chains

Certified AISI 304 and AISI 316 stainless steel chains.



## Protective plugs

Rubber or polypropylene protective plugs protect the main construction profiles against weather conditions and children from injuries.



## Bolts

AISI 304 and AISI 316 stainless steel or galvanised bolts are secured against external factors by durable polyamide caps. This makes our equipment resistant to wear and tear as well as to changing weather conditions.



## Movable elements

Elements from the Fitness series based on two groups: the Swiss articulation system – safe, durable and long-lasting, allowing fully guided movement, resistant to overload, weather conditions and vandalism, with a mechanical stop and a durable bearing system closed in the casing, thanks to which it does not require lubrication and maintenance. These parts ensure a long service life of devices with moving parts.



# Guarantee

The highest quality of our products is ensured by experienced specialists and high quality materials. That is why we can offer our customers a long-term guarantee of fault-free and fully safe use of our devices. We also provide post-warranty services. Orders for most spare parts are completed within 48 hours.

## Selected warranty periods:



### 30 year guarantee

Structural strength of steel and stainless steel components



### 15 year guarantee

Structural failure of steel and stainless steel, for dynamic equipment; structural elements made of Robinia wood



### 10 year guarantee

Structural failure of high-density polyethylene and high-pressure laminate components; construction elements made of 100% recycled material



### 5 year guarantee

Corrosion of stainless steel and hot-dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

More information on other warranty periods for selected parameters - available on request in the Guarantee Card.





# Design your playground

Design a functional and safe playground with the 3D planner application. Thanks to this user-friendly app you will be able to create several versions of the playground and choose the one you like the best in just 5 minutes. Upload a photo of the space you have at your disposal and fill it up with Vinci Play equipment. See what your new playground will look like in the morning, in the evening and during different seasons of the year. You will be able to export the created visualizations to .jpg/.png or .pdf files. Our 3D application will calculate the area needed for the installation of the Vinci Play equipment based on their safety zones, so that your modern playground can meet all the requirements of the EN 1176 standard.

A photograph showing a person's hands typing on a laptop keyboard. The laptop screen displays the 3D planner software interface, which shows a 3D model of a playground with various equipment like slides and climbing frames. A sidebar on the left lists categories such as "Select objects", "Terrain object", "Base", "Terrain", "Architectures", "Playground", "Playground", "PlayGround", "PlayGround", and "Dimensions". A small pop-up window on the screen provides instructions for naming the project. In the top right corner of the image, there is a yellow speech bubble containing the text "WATCH VIDEO!" and a white circle containing a QR code.

## 1. How to start?

You can easily name the project, define the size of the area and the shape and size of the playground.


## 2. Choosing Vinci Play products

You can search for a Vinci Play product by the age of users, product series, materials or colour versions through a quick and intuitive search engine. The application contains an up-to-date library of all devices available in the offer.




## 3. Adding products, plants and creating a playground of your dreams

Adding equipment or plants is child's play. As soon as you make your choice - just click on the product (or on a plant) and drag it to the selected area. When putting more products, special attention should be paid to ensure that the safety zones of individual elements do not overlap (this is very important!) - when this happens, the contact area will be highlighted in red.



## 4. Defining surface texture

Each playground also has a surface. Not all devices can be installed on grass or sand. You can easily sketch various shapes on the surface that can be made of flexible poured surfaces. Just choose a defined shape - circle, square or hexagon, or draw an irregular shape by hand. It is very easy! Then you can choose the colour or texture of each element of the surface.




## 5. Displaying a 3D view and printing

All steps so far have taken place in top view. It's cool, but the visualization of the playground is something that interests us much more. How to show a 3D view? It's also very easy. Just click one button and the playground we have created will show up in all its glory! The view can be zoomed in and out, shown from different angles, thanks to which we will feel as if we are walking on an already existing playground. We can also quickly print a specific view and leave it with the customer together with the offer.

# What's new?

We have prepared many great additions to our existing offer. Modern designs of new products include proposals for younger and older children, large structures, but also smaller thematic devices that will allow you to create the playground of your dreams.



## Recycled devices

Playground equipment complying with the principles of circular economy, with interesting designs created from posts produced from clothes and foil and panels made of ocean wastes.

## High towers

Reach up to the stars! Cone towers with a steel structure, with stainless steel tube slides, bring fun to a new level.



**ROBINIA for toddlers**

Nice looking wood equipment intended for the youngest children. Jungle animals, sand play equipment and obstacle courses in the smallest sizes are some of the new products in the Robinia series.

**QUBIX combinations**

Thanks to the modularity of elements in the Qubix series, we have created several combinations with tube slides and rope passages of various heights to give older children unlimited fun on high structures.

**ACTIVE series**

Especially for golden agers, we have prepared devices that help maintain or restore proper body movement, so that they can enjoy health even longer. Maintaining good shape for years is an important element of the daily routine of seniors.

**New thematic devices**

Spring riders, slides, vehicles tailored to our flagship thematic series Space, Jungle and Castillo to expand the offer of great fun.

**ROBINIA sandplay**

New play sets from the much-loved brand, designed specifically to bring even more fun to play with sand. New moving elements, buckets, molds - everything needed for children's favorite fun.

**Inclusive STEEL+**

A new, larger set in the Steel+ series with ramps for wheelchairs will provide inclusive fun for children of various abilities. The psychomotor development of disabled children is a very important element of playground design.

**360° SWING**

Swinging, swaying or spinning? Now you don't have to choose! The 360 degree swing will offer unlimited fun and lots of laughter.

**ROBINIA shades**

A modern playground is not only about fun, but above all about safety. Adjustable shades made of durable material will perfectly protect any playground against excessive exposure to sunlight.

**New FITNESS**

We have expanded the offer of the very popular Fitness series with new devices: two types of bikes, a trampoline and a rowing machine.

# Inclusive playground with reduced carbon footprint



1 RECYCLED RC1433 p. 51

2 RECYCLED RC0630 p. 60

3 RECYCLED RC1482 p. 52

4 RECYCLED RC1551 p. 51

5 RECYCLED RC1552 p. 51

6 HOOP 0703-1 p. 212

7 SWING ST0511 p. 204



8 RECYCLED RC1437 p. 46

9 RECYCLED RC1505 p. 47

10 RECYCLED RC1427 p. 52

11 RECYCLED RC0924 p. 66

12 RECYCLED RC0934 p. 66

13 PARK 0940 p. 241

# Playground with low CO<sub>2</sub> emission



1 RECYCLED RC0934 p. 66

2 RECYCLED RC0924 p. 66

3 CLIMBOO 0417-1 p. 189

4 RECYCLED RC1449 p. 48

5 RECYCLED RC0499 p. 58

6 RECYCLED RC0712 p. 63



7 RECYCLED RC1443 p. 57

8 RECYCLED RC1405 p. 48

9 RECYCLED RC1452 p. 49

10 RECYCLED RC0685 p. 56

# Reduced carbon footprint sport arena



1 RECYCLED RC0924 p. 66

2 RECYCLED RC0934 p. 66

3 ARENA 241308-002 p. 221



4 WORKOUT RB2301 p. 235

5 FITNESS RB1117 p. 231

6 WORKOUT RB2323 p. 236

7 WORKOUT RB2399 p. 237

8 FITNESS RB1111 p. 231

9 FITNESS RB1108 p. 231

# Natural playground



1 ROBINIA RB1392 p. 110

2 ROBINIA RB1228 p. 85

3 ROBINIA RB1322 p. 85

4 ROBINIA RB1321 p. 85

5 ROBINIA RB1369 p. 104

6 ROBINIA RB1315 p. 75

7 ROBINIA RB1277 p. 91



8 ROBINIA RB1327 p. 99

9 ROBINIA RB1247 p. 84

10 ROBINIA RB1362 p. 104

11 ROBINIA RB1227 p. 85

12 ROBINIA RB1306 p. 72

13 ROBINIA RB1492 p. 107

# Nature play in the city



1 ROBINIA RB1327 p. 99

2 ROBINIA RB1330 p. 99

3 ROBINIA RB1307 p. 72

4 ROBINIA RB1389 p. 110

5 ROBINIA RB1321 p. 85



6 ROBINIA RB0514 p. 108

7 ROBINIA RB1306 p. 72

8 ROBINIA RB1390 p. 110

9 ROBINIA RB1351 p. 106

10 ROBINIA RB0700 p. 105

11 ROBINIA RB1366 p. 104

12 ROBINIA RB1309 p. 72

# Natural water & sand playground



1 ROBINIA RB1393 p. 110

2 ROBINIA RB1324 p. 85

3 ROBINIA RB1323 p. 85

4 ROBINIA RB1336 p. 102

5 ROBINIA RB1366 p. 104

6 ROBINIA RB1328 p. 99



7 ROBINIA RB2867 p. 101

8 ROBINIA RB1223 p. 93

# Modern playground



## Modern design that perfectly matches urban spaces

The QUBIX series made of the highest quality materials, filled with elements of activity and attractive graphics - is a place to develop motor coordination while providing a lot of fun.



## Modern design in a new edition

Elegant colours, natural materials, or drawings prepared by our talented graphic designers - the choice is wide. All made of the highest quality materials and with attention to every detail, thanks to which we can respond to every, even the most demanding, project.

# Thematic playground



1 SOLO 0826 p. 154

2 CLIMBOO 0419-1 p. 189

3 CASTILLO 3028-1 p. 127

4 SWING ST1494 p. 206

5 SPRING 0651 p. 196



6 CASTILLO 3080 p. 131

7 SOLO 0802-1 p. 158

8 SPRING 0622 p. 197

9 SPRING 0674 p. 199

# Inclusive playground



1 SPRING 0630 p. 198

2 STEEL+ 1725 p. 133

3 HOOP 0712 p. 214

4 SOLO WD1443 p. 156

5 CLIMBOO 0499 p. 186

6 SPRING 0671 p. 199

7 SWING ST1494 p. 206



8 SWING ST0509 p. 210

9 SPRING 0608-2 p. 197

10 STEEL+ 1726 p. 133


11 HOOP 0728 p. 212

12 SWING ST0531 p. 203

13 PARK 0926 p. 240

14 PARK 0905-1 p. 241





**Be more eco  
with Vinci Play!**

# Recycled, a better way!

Caring for the future of children and future generations, the idea was born to replace our classic elements of play equipment construction with post-consumer recycled materials. As a result, we have created a group of Recycled products based in 100% on recyclable materials that lower carbon emission.

Towers, slides, ladders, sandboxes, educational panels, spring rockers, swings and complementary elements, such as benches and litter bins - all produced with the use of recyclable materials.



LOW CO<sub>2</sub>  
EMISSION





### Composite posts

Recycled posts made of an innovative material made of used clothing and foil. The characteristics include, among others that this material: does not corrode, is durable as steel, resistant to algae formation, does not absorb water and is resistant to UV radiation.



### Recycled HDPE panels

Roofs, side panels and moving elements manufactured from ocean waste – fishing ropes and nets. With high durability and resistance to weather conditions these panels allow to create a playground with almost 100% recycled elements, contributing to a healthier environment for future generations.



### Plywood platforms

Anti-slip and waterproof platforms and climbing walls made of plywood coated with a hot-pressed phenolic film with a honeycomb surface imprint – it offers increased resistance to abrasion, mechanical damage and chemical agents. It is PEFC-certified.



### HDPE with recycled core

A high-quality material resistant to atmospheric agents, i.e. it is waterproof, resistant to frost, UV radiation or moisture. We use three-layer plates (a black core is made of 100% recycled granulate) for the production of various panels, roofs and other playground components.



### Stainless steel bars

AISI304 or AISI316 stainless steel bars are used as handrails, fireman's poles, climbing frames, ladders. With a smooth surface, it is completely weather-resistant, thus ensuring its long life span.



### HPL elements

HPL panels are being used as supplement in various types of equipment, harmonising with recycled style of the series. This laminate is resistant to chemical and biological factors and weather conditions.



# wooden recycled

## Wooden now Recycled!

The WOODEN series released now in a new version. Instead of structures made of painted wood, we have included devices from the well-known and popular series in Recycled option.

Various educational and sensory panels, coupled with moving elements, will bring children lots of joy and draw a lot of interest.

The environmentally friendly Recycled equipment from this series stimulates the child's comprehensive physical development and also allows a large group of kids to play together at the same time. Thanks to this, child learns how to establish relationships with their fellows and how to work as part of a team.



RC1503



RC1401



RC1402



RC1403



RC1437



RC1407

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants
										steel wood recycled	HDPE	HPL
RC1503	●	342 cm	336 cm	247 cm	1 - 8	25	33,8 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	● ●
RC1401	●	97 cm	96 cm	139 cm	1 - 8	4	13,8 m <sup>2</sup>	< 60 cm	-	-	● ●	● ●
RC1402	●	166 cm	99 cm	191 cm	1 - 8	6	15,6 m <sup>2</sup>	< 60 cm	-	35 cm	-	● ●
RC1403	●	204 cm	139 cm	170 cm	3 - 14	7	18,8 m <sup>2</sup>	90 cm	90 cm	90 cm	-	● ●
RC1437	●	349 cm	173 cm	103 cm	1 - 8	15	27,3 m <sup>2</sup>	< 60 cm	-	-	● ●	● ●
RC1407	●	260 cm	270 cm	280 cm	3 - 14	13	27,5 m <sup>2</sup>	90 cm	90 cm	-	● ●	-



RC1434



RC1436



RC1504



RC1505



RC1506



RC1501



RC1502

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants
										steel wood recycled	HDPE	HPL
RC1434	●	215 cm	145 cm	280 cm	1 - 8	7	19,5 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	-	-
RC1436	-	360 cm	315 cm	280 cm	1 - 8	14	30,4 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	-	-
RC1505	●	675 cm	580 cm	280 cm	1 - 8	58	62,1 m <sup>2</sup>	90 cm	90 cm	35, 40, 59, 90 cm	-	-
RC1504	●	440 cm	451 cm	367 cm	3 - 12	29	43,4 m <sup>2</sup>	180 cm	120, 150 cm	35, 120, 150, 180 cm	-	-
RC1506	●	825 cm	830 cm	280 cm	1 - 8	90	96,2 m <sup>2</sup>	90 cm	59, 90 cm	35, 40, 59, 90 cm	-	-
RC1501	-	218 cm	224 cm	277 cm	1 - 8	9	21,7 m <sup>2</sup>	90 cm	90 cm	40, 90 cm	-	-
RC1502	●	247 cm	213 cm	307 cm	1 - 8	11	22,9 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-



RC1405



RC1404



RC1406



RC1408



RC1409



RC1449



RC1438



RC1410

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants	
											steel wood recycled	HDPE	HPL
RC1405	●	328 cm	245 cm	337 cm	3 - 14	13	26,4 m <sup>2</sup>	150 cm	150 cm	150 cm	- -	●	-
RC1404	-	314 cm	150 cm	307 cm	3 - 14	7	22,4 m <sup>2</sup>	120 cm	120 cm	120 cm	- -	●	-
RC1406	-	316 cm	252 cm	310 cm	3 - 14	11	26,2 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	- -	●	-
RC1408	●	365 cm	290 cm	310 cm	3 - 14	13	31,1 m <sup>2</sup>	120 cm	120 cm	90, 120 cm	- -	●	-
RC1409	-	460 cm	355 cm	340 cm	3 - 14	19	38,3 m <sup>2</sup>	190 cm	150 cm	90, 150 cm	- -	●	-
RC1449	-	322 cm	278 cm	367 cm	3 - 14	16	28,5 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	- -	●	-
RC1438	●	328 cm	474 cm	307 cm	3 - 14	12	38,1 m <sup>2</sup>	130 cm	120 cm	120 cm	- -	●	-
RC1410	-	405 cm	335 cm	370 cm	3 - 14	23	41,2 m <sup>2</sup>	220 cm	150 cm	150, 180 cm	- -	●	-



RC1411



RC1412



RC1413



RC1439



RC1450



RC1451



RC1452

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants
										steel wood recycled	HDPE	HPL
RC1411	●	563 cm	357 cm	367 cm	3 - 14	30	47,4 m <sup>2</sup>	180 cm	150 cm	120, 150, 180 cm	- -	● ● -
RC1412	●	565 cm	424 cm	367 cm	3 - 14	31	50,2 m <sup>2</sup>	210 cm	90, 180 cm	90, 120, 150, 180 cm	- -	● ● -
RC1413	●	627 cm	319 cm	340 cm	3 - 14	51	56,2 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	- -	● ● -
RC1439	-	306 cm	230 cm	230 cm	3 - 14	17	29,9 m <sup>2</sup>	220 cm	-	120, 150 cm	- -	● ● -
RC1450	●	535 cm	510 cm	235 cm	7 - 16	31	45,3 m <sup>2</sup>	220 cm	120, 150 cm	120, 150 cm	- -	● ● -
RC1451	-	427 cm	206 cm	260 cm	7 - 16	14	33,2 m <sup>2</sup>	250 cm	-	150, 180 cm	- -	● ● -
RC1452	-	528 cm	428 cm	260 cm	7 - 16	31	47,8 m <sup>2</sup>	250 cm	-	150, 180 cm	- -	● ● -



RC1414



RC1415



Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants
										steel wood recycled	HDPE
										HPL	
RC1414	● 395 cm	330 cm	260 cm	3 - 14	21	31,4 m <sup>2</sup>	90 cm	90 cm	90 cm	- -	● ● -
RC1415	● 615 cm	395 cm	290 cm	3 - 14	34	47,7 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	- -	● ● -



RC1433



RC1581



RC1418



RC1580



RC1550



RC1551



RC1552

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants
										steel wood recycled	HDPE	HPL
RC1433	●	300 cm	275 cm	250 cm	1 - 8	14	25,1 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	- -	● ● -
RC1581	●	1100 cm	525 cm	485 cm	3 - 14	52	74,6 m <sup>2</sup>	150 cm	90, 150 cm	35, 90, 120, 150 cm	- -	● ● -
RC1418	●	1575 cm	805 cm	490 cm	3 - 14	120	134,5 m <sup>2</sup>	180 cm	120, 150, 180* cm	120, 150, 180 cm	- -	● ● -
RC1580	●	1285 cm	740 cm	490 cm	3 - 14	82	98,3 m <sup>2</sup>	180 cm	120, 150, 180 cm	120, 150, 180 cm	- -	● ● -
RC1550	●	386 cm	336 cm	260 cm	3 - 12	28	33,3 m <sup>2</sup>	120 cm	90 cm	40, 90, 120 cm	- -	● ● -
RC1551	●	292 cm	220 cm	214 cm	1 - 8	12	25,3 m <sup>2</sup>	< 60 cm	59 cm	59 cm	- -	● ● -
RC1552	●	244 cm	100 cm	184 cm	1 - 8	10	19,9 m <sup>2</sup>	< 60 cm	-	35 cm	- -	● ● -

\*Height of tube slides.


# solo • recycled

## Fun for youngsters!


The SOLO series is a paradise for preschoolers, which is ruled by sand, water, sound and movement.

Free fun develops natural creativity of the child, encourages to do experiments and triggers the desire to cooperate with other children.

The richness of colours, manual and sound elements, along with educational panels: all these elements comprehensively stimulate the senses and the intellectual development of a child.



Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC0824	●	188 cm	141 cm	155 cm	1 - 8	13	17,6 m <sup>2</sup>	< 60 cm	-	-	-	●	-
RC1455	●	348 cm	171 cm	191 cm	1 - 12	23	28,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1427	●	167 cm	97 cm	114 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC0800	●	30 cm	30 cm	40 cm	1 - 12	1	8,7 m <sup>2</sup>	< 60 cm	-	-	-	●	-
RC1456	●	145 cm	62 cm	170 cm	1 - 12	5	13,7 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1416	-	415 cm	165 cm	140 cm	1 - 12	11	27,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1482	●	139 cm	139 cm	78 cm	1 - 12	8	17,3 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1457	-	380 cm	210 cm	35 cm	1 - 12	11	32,7 m <sup>2</sup>	< 60 cm	-	-	●	●	-



RC1458



RC1429



RC0801



RC0802

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
								steel	wood	recycled	HDPE	HPL
RC1458	-	258 cm	258 cm	28 cm	1 - 12	16	29,2 m²	< 60 cm	-	-	●	●
RC1429	-	254 cm	221 cm	28 cm	1 - 12	9	21,8 m²	< 60 cm	-	-	●	●
RC0801	-	178 cm	178 cm	30 cm	1 - 12	11	20,9 m²	< 60 cm	-	-	●	-
RC0802	-	323 cm	287 cm	43 cm	1 - 12	18	29,1 m²	< 60 cm	-	-	●	-



RC0810



RC0813




RC0811



RC0812



RC0825



Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC0810	-	168 cm	94 cm	166 cm	3 - 12	5	16,5 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0811	-	143 cm	92 cm	74 cm	3 - 12	4	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0812	-	130 cm	89 cm	96 cm	3 - 12	4	14,8 m <sup>2</sup>	90 cm	●	-	-	●	-
RC0813	-	143 cm	94 cm	166 cm	3 - 12	6	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0825	-	734 cm	94 cm	166 cm	3 - 12	20	38,6 m <sup>2</sup>	90 cm	●	-	-	●	-



RC1467



RC1468




RC1469



RC1470



RC1471



RC1472



RC1473



RC1474



RC1475



RC1476



RC1477



RC1478



RC1560



RC1561



RC1562



RC1563




RC1564



RC1565

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
								steel	wood	recycled	HDPE	HPL
RC1467	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1468	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1469	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1470	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1471	●	84 cm	12 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1472	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1473	●	84 cm	21 cm	130 cm	1 - 8	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1474	●	84 cm	21 cm	130 cm	1 - 8	2	10,4 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1475	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1476	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1477	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1478	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●
RC1560	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1561	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1562	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1563	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1564	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	-
RC1565	●	84 cm	10 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-



RC0685




RC0817



RC0816

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels		
								steel	wood	recycled	HDPE	HPL	
RC0685	-	84 cm	79 cm	123 cm	3 - 12	2	11,5 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0817	-	120 cm	50 cm	59 cm	3 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0816	-	94 cm	87 cm	< 60 cm	3 - 12	3	11,9 m <sup>2</sup>	< 60 cm	●	-	-	●	-



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction steel wood recycled	Panels variants HDPE	Panels variants HPL
RC1440	-	168 cm	84 cm	141 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	-	-	-
RC1441	-	203 cm	84 cm	171 cm	1 - 8	3	16,7 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	-	-	-
RC1442	-	239 cm	84 cm	201 cm	3 - 14	3	17,9 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	-	-	-
RC1443	-	285 cm	84 cm	231 cm	3 - 14	3	19,5 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	-	-	-
RC1444	-	321 cm	84 cm	261 cm	3 - 14	3	20,8 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	-	-	-
RC1445	-	358 cm	84 cm	291 cm	3 - 14	3	22,1 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	-	-	-
RC1446	-	515 cm	84 cm	380 cm	3 - 14	3	27,0 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	-	-	-
RC1447	-	635 cm	84 cm	480 cm	3 - 14	3	31,1 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	-	-	-
RC1448	-	755 cm	84 cm	581 cm	3 - 14	3	35,2 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	-	-	-

# climbo<sup>o</sup> recycled

## Climb, crawl and pull-up

The CLIMBOO series comprises equipment that develops the fitness and coordination of older children, increasing their faith in their own abilities.

Various climbing ladders and walls with a varying level of difficulty strengthen the muscles and teach the child to concentrate and maintain balance.

This series is the perfect place to organise competitive games where exciting physical challenges are coupled with maximum safety.



RC1463



RC1459



RC1461



RC1462



RC1460



RC0499



RC1419

See also from regular CLIMBOO series on: [www.vinci-play.com](http://www.vinci-play.com)



0417-1



0421



1716

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction steel	Construction wood	Construction recycled	Colour variants HDPE / HPL	Colour variants ropes
RC1463	-	536 cm	316 cm	230 cm	7 - 16	52	60,4 m <sup>2</sup>	220 cm	150 cm	-	-	●	● / ●	●
RC1459	-	102 cm	84 cm	104 cm	1 - 12	1	13,5 m <sup>2</sup>	< 60 cm	-	-	-	●	● / ●	-
RC1461	-	535 cm	306 cm	140 cm	3 - 14	28	44,7 m <sup>2</sup>	< 60 cm	29, 59 cm	-	-	●	● / -	●
RC1462	-	240 cm	233 cm	230 cm	3 - 14	23	33,9 m <sup>2</sup>	220 cm	120 cm	-	-	●	● / ●	●
RC1460	-	232 cm	87 cm	110 cm	1 - 8	7	16,7 m <sup>2</sup>	99 cm	-	-	-	●	● / ●	●
RC0499	-	135 cm	185 cm	45 cm	3 - 14	4	19,2 m <sup>2</sup>	< 60 cm	-	-	-	●	● / -	●
RC1419	-	310 cm	306 cm	230 cm	3 - 14	11	31,2 m <sup>2</sup>	220 cm	-	-	-	●	● / ●	●



# a spring recycled

## Rocking and swaying

The SPRING series equals pure energy on springs. It satisfies the child's natural need for unrestrained and carefree swinging.

Colourful vehicles and happy animals encourage kids to jump energetically and sway in the rhythm of body movements.

The spring riders, which are so beloved by children, allow for joyful fun which also carries great benefits for kids' development.

See also from regular SPRING series on: [www.vinci-play.com](http://www.vinci-play.com)



0652



0611-1



0681



RC0607



RC0622



RC0633



RC0630

Product code	נגיש (Accessibility)	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
RC0607	-	74 cm	43 cm	80 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	●	-
RC0622	-	79 cm	69 cm	84 cm	1 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-
RC0633	-	73 cm	43 cm	75 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	●	-
RC0630	●	110 cm	82 cm	82 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm	●	-



RC0627



RC0612



RC0619



RC0606



RC0608



RC0615



RC0609

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
								HDPE	HPL	
RC0627	-	493 cm	431 cm	45 cm	3 - 14	27	45,4 m <sup>2</sup>	< 60 cm		-
RC0606	-	80 cm	43 cm	86 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
RC0608	-	70 cm	45 cm	80 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm		-
RC0612	-	104 cm	27 cm	46 cm	3 - 12	1	11,3 m <sup>2</sup>	< 60 cm		-
RC0619		100 cm	100 cm	45 cm	3 - 14	3	12,6 m <sup>2</sup>	< 60 cm		-
RC0615	-	62 cm	43 cm	79 cm	1 - 12	1	10,5 m <sup>2</sup>	< 60 cm		-
RC0609	-	80 cm	43 cm	74 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-



**LOW CO<sub>2</sub>  
EMISSION**



RC0660



RC0670



RC0671

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	
									HPL	
RC0660	-	206 cm	181 cm	87 cm	1 - 12	6	18,8 m <sup>2</sup>	< 60 cm		-
RC0670	-	333 cm	28 cm	86 cm	1 - 12	4	18,8 m <sup>2</sup>	< 60 cm		-
RC0671	-	260 cm	116 cm	89 cm	3 - 12	8	16,0 m <sup>2</sup>	< 60 cm		-

# hoop recycled

## Spin, spin!

The HOOP series consists of roundabouts and spinners which drive the world of laughing children. Spinning is an important activity for the child's development as it promotes the maturation of the nervous system, stimulates the sense of balance, strengthens the muscles and the skeletal system.

See also from regular HOOP series on: [www.vinci-play.com](http://www.vinci-play.com)



0703-1



0714



0711



RC0712



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Colour variants		
								steel	wood	recycled	HDPE	HPL
RC0712	-	73 cm	73 cm	146 cm	3 - 12	2	17,6 m <sup>2</sup>	100 cm	-	-	-	-

# swing recycled

## Swinging in full swing!

The SWING series includes classic equipment beloved by younger and older children.

Colourful single swings, see-saw swings, multi-swings with bird's nest seats and weight-balanced multi-swings offer a pleasant thrill for children and encourage them to play with their friends.



See also from regular SWING series on: [www.vinci-play.com](http://www.vinci-play.com)



ST1421



ST0528




ST0511

New!



RC1492



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Colour variants
									steel wood recycled	HDPE HPL
RC1425	-	270 cm	40 cm	115 cm	3 - 14	2	11,1 m <sup>2</sup>	99 cm	- - ●	● -
RC0522	-	240 cm	39 cm	81 cm	1 - 8	2	9,7 m <sup>2</sup>	< 60 cm	● - -	● -
RC1492	-	195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	- - ●	● -



LOW CO<sub>2</sub>  
EMISSION



# -park-recycled

## Small park architecture


The PARK series is a necessary complement to a kid-friendly playground.

Comfortable benches and tables, colourful litter bins, information boards and fences – all these elements ensure comfortable relaxation for children, their parents and caregivers.

The modern and aesthetically pleasing design of street furniture harmoniously blends in with the playground equipment.




RC1483




RC1486



RC0934



RC0923



RC0924



RC1484




RC1485

See also from regular PARK series on: [www.vinci-play.com](http://www.vinci-play.com)




0913



0920



0940



RC0921

Product code		Product length	Product width	Product height	Panels	HPL	steel	Construction wood	recycled
					HDPE				
RC1483	-	50 cm	10 cm	170 cm	-	-	-	-	
RC1486	-	280 cm	12 cm	76 cm		-	-	-	
RC0934	-	36 cm	35 cm	100 cm		-		-	-
RC0923	-	159 cm	35 cm	36 cm		-		-	-
RC0924	-	159 cm	42 cm	78 cm		-		-	-
RC1484	-	120 cm	13 cm	76 cm		-	-	-	
RC1485	-	170 cm	14 cm	76 cm		-	-	-	
RC0921	-	261 cm	6 cm	116 cm		-		-	-



#### Characteristics of the RECYCLED series:



100% recycled HDPE



Composite construction or elements



HDPE with recycled core



HPL HEXA platforms



Stainless steel construction or elements



Galvanised steel construction or elements



Stainless steel slides



PE tube slides



Ropes with steel core



PP tunnels



Stainless steel chains



Durable steel spring



Spinning elements



Protective tops



Durable connectors






**Be closer  
to nature  
with Vinci Play!**

# Robinia, naturally!

The ROBINIA series is an inexhaustible source of inspiration for play for younger and older children. The variety of educational and sensory panels, as well as moving elements, stimulate in children great interest and joy.

The environmentally friendly, wooden devices in the ROBINIA series stimulate the comprehensive physical development of a child and allow a large group of children to play at the same time. Thanks to this, the child learns to establish relationships with peers, and cooperate in a group.

Over 150 playground-equipment, sports, and small architecture products fit perfectly into both the natural landscape and modern architecture.





## Robinia wood

The acacia wood used in the production of the Robinia series contains many oils which protect the material very well against weather conditions, naturally preserving it against rotting processes and pests. By obtaining wood, we are sure that it comes from European plantations with FSC® certification and other controlled sources, thanks to which we care for the future in the spirit of sustainable development.



## Safety standards

In order to maintain the unique and irregular nature of the acacia wood, each product is individually prepared in accordance with the safety standards. In the Robinia series, we have developed unique technical solutions ensuring compliance with the EN 1176 safety standard. The products are certified by the international certifying institution TÜV SÜD and TÜV Rheinland. In addition, our production plants undergo periodic control audits by independent certification bodies.



## Safe finish

Thanks to the processing of wood by sanding, we smooth its surface, erasing any rough edges or unevenness, so we make the product not only aesthetic but also safe.



## Polycarbonate

Our devices are enriched with components made of transparent polycarbonate, which is an excellent alternative to glass. Twice lighter and at the same time two hundred times more resistant to impacts, this material is perfect as a functional and aesthetic detail in devices for playgrounds. Additionally, it is resistant to UV rays, weather conditions and temperatures in a wide range.



## Stainless steel

Gutters, troughs and bathtubs made of AISI 304 or AISI 316 stainless steel with a suitably smooth surface finish allow children to play in water and sand. With proper maintenance, stainless steel remains unaffected by weather conditions, which ensures its long service life.



## Anti-slip HPL plates

Anti-slip HPL plates are a perfect supplement used in various types of steps and small platforms. Thanks to their highest quality, they are resistant to chemical and biological factors, UV rays, and changing weather conditions. The safe anti-slip structure, subdued colours, and natural look, all perfectly harmonise with the wooden style of the series.



## Quick and easy installation

Before shipment, all products undergo preliminary assembly in our factory to prevent jams. We have developed a special connection system, consisting of appropriate undercutting, specialised fastening, and machining holes in key places. Thanks to the clear instructions and the individual marking of the components, it is possible to install quickly and easily, without specialist knowledge and tools.



## Packing and transportation

All elements are manufactured in such a way, that it is possible to transport both by road (by bus, or semi-trailer), or by sea or air. The appropriate packing of the elements optimises space and transport costs, and facilitates convenient unloading without the need for cranes or specialist equipment.

# Robinia

## Destination: nature!

The ROBINIA series consists of playground equipment made of natural raw material - Robinia acacia wood, the most durable wood found in Europe. This timber is characterized by natural, bright colours, has high weather resistance, does not require impregnation and can be anchored directly in the ground.

The unique Robinia series has been designed in a comprehensive way to enable creating of an offer containing all types of playground equipment: from tower sets with many climbing elements, through spring riders, carousels and swings, to small architecture.



New!

RB1309



RB1306



RB1308



RB1307

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1309	-	445 cm	365 cm	250 cm	3+	13	37,3 m <sup>2</sup>	< 60 cm
RB1306	-	195 cm	185 cm	265 cm	3+	3	19,2 m <sup>2</sup>	< 60 cm
RB1308	●	295 cm	225 cm	280 cm	3+	5	23,2 m <sup>2</sup>	90 cm
RB1307	-	370 cm	220 cm	250 cm	3+	7	27,3 m <sup>2</sup>	< 60 cm





RB1334



RB1301



RB1305



RB1302



RB1311

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1334	-	120 cm	120 cm	160 cm	1+	4	16,5 m <sup>2</sup>	< 60 cm
RB1301	-	295 cm	195 cm	200 cm	3+	5	21,5 m <sup>2</sup>	90 cm
RB1302	-	371 cm	326 cm	200 cm	3+	12	32,9 m <sup>2</sup>	165 cm
RB1305	-	605 cm	292 cm	250 cm	3+	6	35,6 m <sup>2</sup>	130 cm
RB1311	-	615 cm	375 cm	250 cm	3+	18	51,0 m <sup>2</sup>	200 cm



RB1313



RB1314



RB1315



RB 1316

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1313	-	460 cm	405 cm	340 cm	5+	5	36,2 m <sup>2</sup>	165 cm
RB1314	-	875 cm	410 cm	340 cm	5+	12	55,4 m <sup>2</sup>	165 cm
RB1315	-	1110 cm	780 cm	370 cm	5+	21	88,9 m <sup>2</sup>	180 cm
RB1316	-	510 cm	340 cm	280 cm	5+	16	40,6 m <sup>2</sup>	90 cm



RB1201



RB1203



RB1202



RB1205



RB1206



RB1207



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1201	●	150 cm	150 cm	195 cm	1+	4	18,3 m <sup>2</sup>	< 60 cm
RB1202	●	240 cm	150 cm	195 cm	1+	8	20,7 m <sup>2</sup>	< 60 cm
RB1203	●	270 cm	270 cm	220 cm	1+	9	26,3 m <sup>2</sup>	< 60 cm
RB1205	-	340 cm	220 cm	315 cm	2+	8	26,7 m <sup>2</sup>	90 cm
RB1206	-	350 cm	335 cm	315 cm	2+	9	30,0 m <sup>2</sup>	90 cm
RB1207	●	580 cm	340 cm	315 cm	2+	21	45,0 m <sup>2</sup>	90 cm





RB1211



RB1215

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1211	●	460 cm	330 cm	375 cm	3+	10	32,2 m <sup>2</sup>	150 cm
RB1215	-	630 cm	560 cm	435 cm	5+	22	50,2 m <sup>2</sup>	238 cm



RB1216



RB1217

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1216	-	680 cm	680 cm	355 cm	5+	28	61,5 m <sup>2</sup>	238 cm
RB1217	-	950 cm	890 cm	435 cm	5+	39	84,3 m <sup>2</sup>	238 cm



RB1241



RB1243



RB1244



RB1242




RB1245



RB1246

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1241	●	275 cm	130 cm	210 cm	1+	12	22,8 m <sup>2</sup>	< 60 cm
RB1242	●	400 cm	270 cm	290 cm	2+	11	32,7 m <sup>2</sup>	90 cm
RB1243	●	170 cm	130 cm	135 cm	1+	10	18,3 m <sup>2</sup>	< 60 cm
RB1244	●	170 cm	130 cm	170 cm	1+	11	18,3 m <sup>2</sup>	< 60 cm
RB1245	●	430 cm	230 cm	170 cm	1+	25	29,3 m <sup>2</sup>	< 60 cm
RB1246	●	830 cm	350 cm	290 cm	2+	36	52,3 m <sup>2</sup>	90 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1231	●	490 cm	290 cm	400 cm	3+	12	29,8 m <sup>2</sup>	90 cm
RB1232	●	320 cm	150 cm	160 cm	2+	9	22,6 m <sup>2</sup>	110 cm
RB1234	●	400 cm	150 cm	350 cm	1+	9	25,0 m <sup>2</sup>	110 cm
RB1235	●	370 cm	300 cm	300 cm	2+	6	28,6 m <sup>2</sup>	110 cm
RB1233	●	590 cm	190 cm	310 cm	2+	8	33,4 m <sup>2</sup>	110 cm
RB1236	-	320 cm	180 cm	500 cm	3+	5	22,1 m <sup>2</sup>	150 cm
RB1237	-	820 cm	340 cm	400 cm	3+	20	49,3 m <sup>2</sup>	90 cm



**SEE MORE!**

RB1238



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1238	●	850 cm	630 cm	460 cm	3+	40	76,5 m <sup>2</sup>	150 cm





RB1247

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1247	-	1140 cm	535 cm	310 cm	3+	36	83,9 m <sup>2</sup>	120 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1323	-	150 cm	30 cm	20 cm	-	-	-	-
RB1324	-	85 cm	25 cm	25 cm	-	-	-	-
RB1321	-	155 cm	155 cm	130 cm	-	-	-	-
RB1322	-	190 cm	145 cm	220 cm	-	-	-	-
RB1227	-	215 cm	65 cm	205 cm	2+	10	15,5 m <sup>2</sup>	< 60 cm
RB1228	-	205 cm	40 cm	205 cm	2+	10	15,2 m <sup>2</sup>	< 60 cm
RB1229	-	260 cm	210 cm	330 cm	2+	8	21,9 m <sup>2</sup>	< 60 cm



RB1251



RB1252



RB1259



RB1253



RB1255



RB1256



RB1257



RB1254



RB1258



RB1260

Customise your own  
obstacle course

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1251	-	20 cm	20 cm	30 cm	1+	1	8,3 m <sup>2</sup>	< 60 cm
RB1252	-	100 cm	50 cm	35 cm	1+	2	12,1 m <sup>2</sup>	< 60 cm
RB1259	-	180 cm	65 cm	30 cm	3+	5	15,0 m <sup>2</sup>	< 60 cm
RB1253	-	200 cm	30 cm	50 cm	6+	3	14,6 m <sup>2</sup>	< 60 cm
RB1255	-	300 cm	20 cm	50 cm	3+	6	18,5 m <sup>2</sup>	< 60 cm
RB1256	-	500 cm	170 cm	59 cm	3+	11	25,7 m <sup>2</sup>	< 60 cm
RB1257	-	630 cm	290 cm	59 cm	3+	16	34,5 m <sup>2</sup>	< 60 cm
RB1254	-	400 cm	20 cm	50 cm	3+	7	21,1 m <sup>2</sup>	< 60 cm
RB1258	-	274 cm	19 cm	40 cm	3+	6	17,3 m <sup>2</sup>	< 60 cm
RB1260	-	250 cm	140 cm	130 cm	3+	4	20,7 m <sup>2</sup>	< 60 cm



RB1264



RB1265



RB1266



RB1267



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1264	-	190 cm	89 cm	155 cm	3+	4	15,6 m <sup>2</sup>	126 cm
RB1265	-	261 cm	159 cm	155 cm	3+	6	17,8 m <sup>2</sup>	126 cm
RB1266	-	169 cm	75 cm	138 cm	3+	6	16,5 m <sup>2</sup>	120 cm
RB1267	-	180 cm	100 cm	200 cm	4+	6	22,1 m <sup>2</sup>	190 cm
RB1263	-	319 cm	118 cm	95 cm	3+	12	23,9 m <sup>2</sup>	80 cm



RB1279



RB1270



RB1271



RB1284



RB1283



RB1278



RB1287



RB1286



RB1269



RB1288



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1279	-	225 cm	125 cm	99 cm	2+	3	20,4 m <sup>2</sup>	99 cm
RB1270	-	119 cm	110 cm	90 cm	1+	5	15,2 m <sup>2</sup>	< 60 cm
RB1271	-	250 cm	40 cm	150 cm	3+	5	17,2 m <sup>2</sup>	< 60 cm
RB1278	-	226 cm	70 cm	25 cm	3+	5	17,1 m <sup>2</sup>	< 60 cm
RB1283	-	450 cm	140 cm	115 cm	4+	4	31,1 m <sup>2</sup>	115 cm
RB1284	-	210 cm	75 cm	210 cm	4+	4	23,8 m <sup>2</sup>	210 cm
RB1286	-	360 cm	125 cm	105 cm	6+	8	26,1 m <sup>2</sup>	< 60 cm
RB1287	-	245 cm	70 cm	155 cm	4+	2	18,2 m <sup>2</sup>	< 60 cm
RB1288	-	295 cm	130 cm	100 cm	4+	6	23,7 m <sup>2</sup>	77 cm
RB1269	-	200 cm	60 cm	30 cm	2+	8	14,6 m <sup>2</sup>	< 60 cm



RB1272



RB1273



RB1262



RB1274



RB1280



RB1261

**New!**

RB1357



RB1289

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1272	-	375 cm	50 cm	160 cm	3+	7	21,7 m <sup>2</sup>	< 60 cm
RB1273	-	475 cm	290 cm	180 cm	3+	11	30,8 m <sup>2</sup>	90 cm
RB1274	-	324 cm	200 cm	117 cm	3+	16	29,7 m <sup>2</sup>	117 cm
RB1262	-	206 cm	116 cm	238 cm	5+	6	21,3 m <sup>2</sup>	238 cm
RB1280	-	515 cm	475 cm	170 cm	4+	6	45,9 m <sup>2</sup>	83 cm
RB1357	-	215 cm	125 cm	350 cm	3+	11	17,4 m <sup>2</sup>	< 60 cm
RB1261	-	215 cm	60 cm	195 cm	3+	5	15,1 m <sup>2</sup>	< 60 cm
RB1289	-	160 cm	135 cm	285 cm	3+	9	15,8 m <sup>2</sup>	< 60 cm



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



RB1282



RB1380

New!



RB1285

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1282	-	347 cm	43 cm	220 cm	3+	10	20,6 m <sup>2</sup>	120 cm
RB1380	●	170 cm	170 cm	50 cm	4+	6	20,2 m <sup>2</sup>	< 60 cm
RB1285	-	175 cm	83 cm	175 cm	3+	3	18,7 m <sup>2</sup>	175 cm




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1277	-	230 cm	230 cm	200 cm	4+	10	32,0 m <sup>2</sup>	190 cm
RB1276	-	191 cm	185 cm	110 cm	3+	4	19,6 m <sup>2</sup>	110 cm
RB1275	-	314 cm	253 cm	110 cm	3+	14	27,2 m <sup>2</sup>	110 cm
RB1281	●	335 cm	320 cm	115 cm	3+	8	30,3 m <sup>2</sup>	115 cm



RB1218




RB1219




RB1220



**Customise your own  
obstacle course**




RB1222



RB1221

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1218	-	860 cm	50 cm	190 cm	3+	16	38,6 m <sup>2</sup>	< 60 cm
RB1219	-	1060 cm	280 cm	195 cm	3+	24	53,5 m <sup>2</sup>	< 60 cm
RB1220	-	1380 cm	565 cm	190 cm	3+	51	106,3 m <sup>2</sup>	< 60 cm
RB1221	-	1195 cm	195 cm	190 cm	3+	23	55,9 m <sup>2</sup>	< 60 cm
RB1222	-	1225 cm	520 cm	245 cm	5+	46	98,9 m <sup>2</sup>	190 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1223	-	940 cm	510 cm	295 cm	3+	42	82,8 m <sup>2</sup>	190 cm
RB1224	-	1330 cm	940 cm	295 cm	6+	62	130,9 m <sup>2</sup>	200 cm



RB1319



RB1310



RB1312

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1319	-	780 cm	690 cm	240 cm	3+	49	75,4 m <sup>2</sup>	200 cm
RB1310	-	281 cm	232 cm	200 cm	4+	11	33,2 m <sup>2</sup>	200 cm
RB1312	-	444 cm	441 cm	240 cm	5+	22	53,5 m <sup>2</sup>	240 cm






**New!**



RB1381



RB1382



RB1383



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1381	-	265 cm	265 cm	255 cm	3+	10	30,0 m <sup>2</sup>	99 cm
RB1382	-	310 cm	310 cm	305 cm	3+	14	35,3 m <sup>2</sup>	99 cm
RB1383	-	700 cm	700 cm	450 cm	3+	44	78,5 m <sup>2</sup>	100 cm



RB1291



RB1295



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)
RB1290	-	145 cm	105 cm	150 cm	2+	4	15,6 m <sup>2</sup>	< 60 cm	59 cm	94 cm	59 cm
RB1291	-	201 cm	102 cm	180 cm	2+	4	17,1 m <sup>2</sup>	90 cm	90 cm	153 cm	90 cm
RB1292	-	250 cm	102 cm	208 cm	3+	4	18,6 m <sup>2</sup>	120 cm	120 cm	214 cm	120 cm
RB1293	-	298 cm	102 cm	238 cm	3+	4	19,8 m <sup>2</sup>	150 cm	150 cm	266 cm	150 cm
RB1294	-	346 cm	102 cm	267 cm	3+	5	23,4 m <sup>2</sup>	180 cm	180 cm	319 cm	180 cm
RB1295	-	190 cm	102 cm	178 cm	3+	2	16,9 m <sup>2</sup>	< 60 cm	90 cm	153 cm	25 cm
RB1296	-	233 cm	102 cm	208 cm	3+	2	17,8 m <sup>2</sup>	< 60 cm	120 cm	214 cm	25 cm
RB1297	-	276 cm	102 cm	238 cm	3+	2	18,9 m <sup>2</sup>	< 60 cm	150 cm	266 cm	25 cm
RB1298	-	319 cm	102 cm	268 cm	3+	2	19,9 m <sup>2</sup>	< 60 cm	180 cm	319 cm	25 cm
RB1299	-	361 cm	102 cm	298 cm	3+	2	21,2 m <sup>2</sup>	< 60 cm	210 cm	372 cm	25 cm



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



RB1331



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1331	-	190 cm	190 cm	19 cm	1+	5	23,0 m <sup>2</sup>	< 60 cm



RB1327



RB1330



RB1326

New!



RB1328




RB1333



RB1347

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1327	●	265 cm	170 cm	215 cm	1+	8	21,5 m <sup>2</sup>	< 60 cm
RB1330	●	200 cm	110 cm	185 cm	1+	3	18,6 m <sup>2</sup>	< 60 cm
RB1326	●	195 cm	150 cm	215 cm	1+	5	18,3 m <sup>2</sup>	< 60 cm
RB1328	●	405 cm	195 cm	280 cm	3+	12	26,5 m <sup>2</sup>	< 60 cm
RB1333	●	560 cm	560 cm	210 cm	1+	52	72,0 m <sup>2</sup>	< 60 cm
RB1347	●	100 cm	420 cm	170 cm	3+	2	20,2 m <sup>2</sup>	99 cm



Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB2851	95 cm	80 cm	120 cm	1+	5	12,6 m <sup>2</sup>	< 60 cm
RB2852	295 cm	30 cm	120 cm	1+	9	17,4 m <sup>2</sup>	< 60 cm
RB2854	340 cm	90 cm	155 cm	1+	16	21,9 m <sup>2</sup>	< 60 cm
RB2856	200 cm	180 cm	180 cm	1+	14	20,2 m <sup>2</sup>	< 60 cm
RB2859	375 cm	315 cm	125 cm	1+	14	27,7 m <sup>2</sup>	< 60 cm
RB2862	310 cm	225 cm	170 cm	1+	12	26,9 m <sup>2</sup>	95 cm
RB2864	355 cm	330 cm	185 cm	1+	20	32,9 m <sup>2</sup>	< 60 cm



RB2866



RB2867



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB2866	●	410 cm	335 cm	310 cm	1+	17	33,1 m <sup>2</sup>	90 cm
RB2867	●	715 cm	410 cm	185 cm	1+	41	52,5 m <sup>2</sup>	90 cm



RB1339

New!



RB1337

RB1338



RB1336



RB1340





RB1346



RB1345

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1339	220 cm	75 cm	120 cm	1+	3	15,3 m <sup>2</sup>	< 60 cm
RB1337	40 cm	25 cm	100 cm	2+	1	9,1 m <sup>2</sup>	< 60 cm
RB1338	40 cm	30 cm	100 cm	2+	1	9,3 m <sup>2</sup>	< 60 cm
RB1336	195 cm	65 cm	225 cm	2+	2	16,1 m <sup>2</sup>	< 60 cm
RB1340	125 cm	45 cm	115 cm	1+	2	12,7 m <sup>2</sup>	< 60 cm
RB1346	45 cm	35 cm	110 cm	1+	2	9,6 m <sup>2</sup>	< 60 cm
RB1345	37 cm	22 cm	90 cm	1+	2	9,6 m <sup>2</sup>	< 60 cm



RB1341



RB1342



RB1343

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1344	●	311 cm	309 cm	150 cm	1+	10	25,2 m <sup>2</sup>	< 60 cm
RB1341	●	155 cm	25 cm	150 cm	1+	2	12,9 m <sup>2</sup>	< 60 cm
RB1342	●	125 cm	20 cm	140 cm	1+	2	11,7 m <sup>2</sup>	< 60 cm
RB1343	●	130 cm	130 cm	140 cm	1+	4	15,1 m <sup>2</sup>	< 60 cm



RB1361



RB1362



RB1363



RB1366



RB1364



RB1369



RB1365

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1361	-	73 cm	36 cm	84 cm	1+	1	10,8 m <sup>2</sup>	< 60 cm
RB1362	-	81 cm	36 cm	84 cm	1+	1	10,9 m <sup>2</sup>	< 60 cm
RB1363	-	84 cm	40 cm	84 cm	1+	1	11,1 m <sup>2</sup>	< 60 cm
RB1366	-	90 cm	50 cm	85 cm	1+	1	11,7 m <sup>2</sup>	< 60 cm
RB1364	-	170 cm	135 cm	80 cm	3+	4	15,9 m <sup>2</sup>	< 60 cm
RB1369	●	97 cm	97 cm	47 cm	3+	3	12,4 m <sup>2</sup>	< 60 cm
RB1365	-	325 cm	22 cm	59 cm	1+	6	18,8 m <sup>2</sup>	< 60 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1372	-	120 cm	120 cm	73 cm	3+	4	21,3 m <sup>2</sup>	73 cm
RB1373	-	150 cm	150 cm	68 cm	3+	8	23,8 m <sup>2</sup>	100 cm
RB1375	-	255 cm	20 cm	150 cm	3+	3	16,7 m <sup>2</sup>	< 60 cm
RB0700	-	50 cm	50 cm	45 cm	3+	3	15,9 m <sup>2</sup>	100 cm



RB1351



RB1352




RB1422



RB1491



RB1424



**MODULAR  
SYSTEM**



RB1421

**Available seats:**



**More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)**

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1351	-	320 cm	64 cm	96 cm	3+	2	13,4 m <sup>2</sup>	99 cm
RB1352	-	410 cm	64 cm	96 cm	3+	4	15,9 m <sup>2</sup>	99 cm
RB1421	-	205 cm	260 cm	238 cm	1+/3+	1	13,0 m <sup>2</sup>	130 cm
RB1422	-	205 cm	370 cm	238 cm	1+/3+	2	21,5 m <sup>2</sup>	130 cm
RB1491	-	207 cm	556 cm	238 cm	1+/3+	3	35,2 m <sup>2</sup>	130 cm
RB1424	-	205 cm	670 cm	238 cm	1+/3+	4	42,5 m <sup>2</sup>	130 cm



**More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)**

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1423	●	205 cm	327 cm	238 cm	3+	7	18,1 m <sup>2</sup>	130 cm
RB1492	●	205 cm	512 cm	238 cm	1+/3+	8	31,8 m <sup>2</sup>	130 cm
RB1494	●	205 cm	625 cm	238 cm	1+/3+	9	40,3 m <sup>2</sup>	130 cm
RB1497	●	205 cm	581 cm	238 cm	3+	14	37,0 m <sup>2</sup>	130 cm
RB0520	-	210 cm	270 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm
RB0517	●	250 cm	355 cm	300 cm	3+	1	18,1 m <sup>2</sup>	145 cm
RB0513	●	100 cm	310 cm	180 cm	3+	7	15,5 m <sup>2</sup>	105 cm



RB0514

New!



RB0510

MODULAR  
SYSTEM



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



**Available seats:**



R1      R2      R3

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB0514	-	125 cm	25 cm	145 cm	1+/3+	1	11,9 m <sup>2</sup>	< 60 cm
RB0510	-	20 cm	170 cm	180 cm	1+/3+	1	11,4 m <sup>2</sup>	99 cm
RB0511	-	20 cm	320 cm	180 cm	1+/3+	2	21,2 m <sup>2</sup>	99 cm
RB0512	-	20 cm	470 cm	180 cm	1+/3+	3	31,0 m <sup>2</sup>	99 cm



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB0515	-	650 cm	620 cm	240 cm	1+/3+	5	46,5 m <sup>2</sup>	130 cm
RB0521-1	-	500 cm	320 cm	280 cm	3+	4	13,6 m <sup>2</sup>	130 cm
RB1385	-	2465 cm	340 cm	400 cm	5+	1	84,4 m <sup>2</sup>	175 cm
RB1386	-	2440 cm	310 cm	400 cm	5+	2	133,4 m <sup>2</sup>	175 cm
RB1385H	-	2465 cm	340 cm	400 cm	5+	1	84,4 m <sup>2</sup>	85 cm
RB1386H	-	2440 cm	265 cm	400 cm	5+	2	133,4 m <sup>2</sup>	85 cm

**New!**

More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



RB1387



RB1388



RB1389



RB1350



RB1348




RB1349



RB1399



RB1391



RB1348



RB1392



RB1390



RB1394



RB1393

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1387	-	420 cm	475 cm	240 cm	-	-	-	-
RB1388	-	470 cm	470 cm	240 cm	-	-	-	-
RB1389	-	930 cm	575 cm	340 cm	-	-	-	-
RB1350	-	189 cm	92 cm	70 cm	-	-	-	-
RB1349	-	210 cm	180 cm	40 cm	-	-	-	-
RB1348	-	216 cm	207 cm	160 cm	-	-	-	-
RB1391	-	161 cm	61 cm	80 cm	-	-	-	-
RB1392	-	150 cm	44 cm	43 cm	-	-	-	-
RB1390	-	155 cm	60 cm	95 cm	-	-	-	-
RB1395	-	37 cm	30 cm	76 cm	-	-	-	-
RB1399	-	50 cm	20 cm	180 cm	-	-	-	-
RB1394	-	150 cm	75 cm	75 cm	-	-	-	-
RB1393	-	150 cm	170 cm	75 cm	-	-	-	-



RB1268

RB1396

RB1398

RB1397

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1268	-	275 cm	65 cm	120 cm	-	-	-	-
RB1396	-	180 cm	14 cm	90 cm	-	-	-	-
RB1398	-	133 cm	19 cm	110 cm	-	-	-	-
RB1397	-	168 cm	20 cm	110 cm	-	-	-	-

#### Characteristics of the ROBINIA series:



Robinia wood construction




Stainless steel elements



HPL panels



Stainless steel slides



Ropes with steel core



Polycarbonate (PC) panels



Durable connectors







**Get higher  
with Vinci Play!**

# Let's play in the sky!

Tall conical and cubic towers reaching to the sky are a paradise for children. Made of the highest quality materials, with a beautiful design, enriched with educational elements and musical panels, as well as stainless steel tube slides. Thanks to the modular system, they can be the whole playground themselves or be its main advantage.



## MODULAR SYSTEM



### Construction



Steel construction of high modular tower equipment is made of sturdy profiles hot-dip galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate available in a great variety of colours. Our products are aesthetically pleasing and prepared with great care to obtain highest quality design requirements.



### Modular system

High tower sets can consist of many different configurations. They are available with different height options, can be made of single elements, or connected by steel passages or bridges. This makes them flexible to fit any project.



### Educational panels

Various educational elements made of the highest quality HPL panels make the playground more attractive, creating an interesting place not only for teenagers but also for younger children.



### Design by Vinci Play

Side walls of tower sets can be made of very durable material, resistant to weather conditions, including UV rays and a wide range of temperatures. Covered with cheerful graphics created from scratch by a team of creative graphic artists, it allows to customize the appearance of any playground.

### Openwork steel passages



Passages made of thick stainless wire create openwork spiral passages connecting individual parts of equipment. This makes the structure look lighter and allows children to play with a bit of a thrill.



### Musical panels

To make it even more fun our products can be boosted by musical elements made of the highest quality stainless steel and colorful talking tubes.



### Activity elements

Inside the cubes and cones, there are many activity ladders, nets, and bridges, made of galvanised steel ropes in polypropylene braid, linked with durable fasteners. The rope elements are processed using hydraulic presses with a pressure of 150 tons. These rope nets are a real challenge for children, thus supporting their psycho-motor development.



### Stainless steel Tube slides

Slides made of certified AISI 304 and AISI 316 stainless steel with 790mm diameter, sanded surface. Available variants: straight, curved or spiral depending on the design. The entire production process of stainless-steel tube slides is performed by highly-qualified Vinci Play employees. They design the tubes, then roll them with high precision, match all the elements of the device, and finally, connect the components using durable and secure welds.

# Qubix

New series!

Have fun in cubes!

The new QUBIX series are geometric constructions filled with activity elements. Their modern design fits perfectly into urban spaces, while providing children and teenagers with a great place to develop their motor coordination. Interesting graphics and symmetrical shapes of steel structures will delight both children and caregivers.



2505




2502



2503



2504



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels		
										steel	inox	wood	HDPE	HPL
2505	-	1320 cm	955 cm	890 cm	4 - 14	47	73,5 m <sup>2</sup>	150 cm	-	220, 560, 660 cm			-	-
2502	-	250 cm	245 cm	225 cm	4 - 14	20	28,0 m <sup>2</sup>	< 60 cm	-	-			-	-
2503	-	765 cm	315 cm	445 cm	4 - 14	33	43,9 m <sup>2</sup>	< 60 cm	-	220 cm			-	-
2504	-	1030 cm	325 cm	665 cm	4 - 14	45	43,7 m <sup>2</sup>	< 60 cm	-	560 cm			-	-



2506



2507

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	inox	wood	HDPE	HPL
2506	-	2050 cm	780 cm	665 cm	4 - 14	90	85,6 m <sup>2</sup>	< 60 cm	-	560 cm			-	-	
2507	-	2315 cm	1365 cm	885 cm	4 - 14	135	133,5 m <sup>2</sup>	99 cm	-	220, 560, 665 cm			-	-	

#### Characteristics of the QUBIX series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HPL panels



UV printed PC panels



Polycarbonate (PC) panels



Stainless steel tube slides



Durable connectors



Ropes with steel core

#### Colour & material options\*:



Construction:



Tubes:

Painted steel RAL7016

- Stainless steel

Stainless steel

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# jungle

## Wild adventure!

The JUNGLE series will allow you to climb to the heights and conquer the unconquered.

High, up to 9,5 meters above the ground, the greatest adventures will take place like in the crown of trees! Among green leaves, branches and colourful cheerful graphics, everyone will be able to turn into a traveler and explorer.

High tube slides are really fun - not only for small kids, and the climbing elements are a challenge and encouragement to be active.



### See also from the other series:



0672 (p. 199)



0674 (p. 199)



ST1421 (p. 205)

Find all complementary devices on: [www.vinci-play.com/jungle-set](http://www.vinci-play.com/jungle-set)

New!



3201



3203



3204

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels
											steel	inox
											wood	HDPE
3231	●	1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●
3201	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●
3202	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●
3203	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●
3204	●	570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-	●	●



3227



3230



3240

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3227	●	535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-	●	●	-	●	-
3230	●	745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm	●	●	-	●	-
3240	●	1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	●	-



3241



3245

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3241	●	1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3245	●	1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm			-		-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	inox	wood	Panels HDPE	HPL
3260	●	2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm	●	●	-	●	-

#### Characteristics of the JUNGLE series:

- Galvanised steel construction
- Stainless steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- UV printed PC panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- Stainless steel tube slides

#### Colour & material options\*:

- |                         |                   |  |         |  |        |
|-------------------------|-------------------|--|---------|--|--------|
|                         | Construction:     |  | Slides: |  | Tubes: |
| ● Painted steel RAL1011 | - Stainless steel |  |         |  |        |
| ● Stainless steel       | - Fiberglass      |  |         |  |        |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# space

## Explore the universe!

The SPACE series is a fulfillment of childhood dreams of space travel.

The towers up to 9,5 meters high, like space rockets, will lift children high above the ground. Colourful graphics, lots of activity and play elements, including tube slides made of the highest quality stainless steel, will not let you get bored.



3427

### See also from the other series:



0711 (p. 215)



0673 (p. 196)



ST1421 (p. 205)

Find all complementary devices on: [www.vinci-play.com/space-set](http://www.vinci-play.com/space-set)

New!



3401



3402



3403



3404

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3427	●	535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-	●	●	-	●	-
3401	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3402	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3403	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-
3404	●	570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-	●	●	-	●	-



3430



3431



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3430	●	745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm	●	●	-	●	-
3431	●	1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●	-	●	-



3440



3441



3445

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3440	●	1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	●	-
3441	●	1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm	●	●	-	●	-
3445	●	1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm	●	●	-	●	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels
											steel	inox wood HDPE HPL
3460	●	2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm	● ● - -	-

#### Characteristics of the SPACE series:

- Galvanised steel construction
- Stainless steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- UV printed PC panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- Stainless steel tube slides

#### Colour & material options\*:

- |                         |                   |                   |         |  |        |
|-------------------------|-------------------|-------------------|---------|--|--------|
|                         | Construction:     |                   | Slides: |  | Tubes: |
| ● Painted steel RAL5000 | - Stainless steel | - Stainless steel | - PE    |  |        |
| ● Stainless steel       | - Fiberglass      |                   |         |  |        |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# castillo

## Explore a castle theme!

Breathtaking castles, monumental towers, passages and hiding places made of rope elements, tube slides... And much more! Each child will be able to feel the atmosphere of medieval times, turn into knights and princesses, fight dragons, and lock the wicked in dungeons.

Castillo towers made of the highest quality materials will provide guaranteed entertainment for users of all ages.



3001-1



3040-1

### See also from the other series:



0826 (p. 154)



0651 (p. 196)



ST1421 (p. 205)

Find all complementary devices on: [www.vinci-play.com/castillo-set](http://www.vinci-play.com/castillo-set)



3002-1



3003-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3001-1	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3040-1	●	1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	●	-
3002-1	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3003-1	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3004-1	●	570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-	●	●	-	●	-
3027-1	●	535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-	●	●	-	●	-
3028-1	●	825 cm	735 cm	510 cm	4 - 14	44	63,2 m <sup>2</sup>	270 cm	90, 120 cm	240 cm	●	●	-	●	-
3030-1	●	745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm	●	●	-	●	-





3029-1



3041-1



3031-1




3045-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
3029-1	●	1195 cm	1075 cm	510 cm	4 - 14	101	134,5 m <sup>2</sup>	240 cm	90, 120, 150 cm	240 cm	●	●	-	●	-
3041-1	●	1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm	●	●	-	●	-
3031-1	●	1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●	-	●	-
3045-1	●	1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm	●	●	-	●	-



3060-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	Panels inox wood HDPE HPL
3060-1	●	2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm	●	● - - ●



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	Panels inox	Panels wood	Panels HDPE	Panels HPL
3080	●	1200 cm	605 cm	645 cm	4 - 14	87	100,9 m <sup>2</sup>	270 cm	120, 150 cm	180 cm	●	●	-	●	-

#### Characteristics of the CASTILLO series:

- Galvanised steel construction
- Stainless steel construction or elements
- HPL HEXA platforms
- HDPE panels
- UV printed PC panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels
- Stainless steel tube slides

#### Colour & material options\*:

- |                         |                   |                   |         |  |        |
|-------------------------|-------------------|-------------------|---------|--|--------|
|                         | Construction:     |                   | Slides: |  | Tubes: |
| ● Painted steel RAL7016 | - Stainless steel | - Stainless steel | - PE    |  |        |
| ● Stainless steel       | - Fiberglass      |                   |         |  |        |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# steel+

## Simple fun!

The STEEL+ series comprises modern tower structures with many features that will delight both younger and older children.

Colourful towers enriched with musical elements are just the perfect place to have some fun with fellow companions and are also a great spot for relaxation.

A vast variety of devices with educational elements facilitate the integration of children of different fitness levels.



1723



1702



1709

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE	HPL
1723	●	313 cm	281 cm	206 cm	1 - 8	13	25,3 m <sup>2</sup>	70 cm	-	-	● ● -	● ● ● ● ●	-
1702	●	278 cm	226 cm	313 cm	1 - 8	9	23,9 m <sup>2</sup>	120 cm	120 cm	-	● ● -	● ● ● ● ●	-
1709	●	521 cm	364 cm	373 cm	3 - 14	27	44,6 m <sup>2</sup>	180 cm	150, 180 cm	-	● ● -	● ● ● ● ●	-



1701



1726

New!



1725



1724



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	inox	wood	Panels variants HDPE	HPL
1701	●	224 cm	234 cm	286 cm	1 - 8	9	22,2 m <sup>2</sup>	90 cm	90 cm	-	●	●	-		-
1726	●	660 cm	545 cm	235 cm	1 - 8	38	55,4 m <sup>2</sup>	99 cm	-	-	●	●	-		-
1725	●	700 cm	590 cm	235 cm	1 - 8	25	69,9 m <sup>2</sup>	< 60 cm	59 cm	-	●	●	-		-
1724	●	323 cm	310 cm	283 cm	1 - 8	14	30,5 m <sup>2</sup>	90 cm	90 cm	-	●	●	-		-



1703



1704



1705

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	Construction inox	Construction wood	Panels variants HDPE	Panels variants HPL
1703	●	475 cm	217 cm	343 cm	3 - 14	12	31,7 m <sup>2</sup>	200 cm	150 cm	-	●	●	-	● ● ● ● ●	-
1704	●	367 cm	304 cm	313 cm	3 - 14	9	31,5 m <sup>2</sup>	220 cm	120 cm	-	●	●	-	● ● ● ● ●	-
1705	●	363 cm	503 cm	313 cm	3 - 14	11	40,6 m <sup>2</sup>	200 cm	120 cm	-	●	●	-	● ● ● ● ●	-



1706



1717



1707



1708



1710



1712



1711



1713

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE	Panels variants HPL	
1706	●	499 cm	461 cm	316 cm	3 - 14	13	41,4 m <sup>2</sup>	200 cm	120 cm	-	● ●	-	● ● ● ● ●	-
1717	●	333 cm	251 cm	316 cm	3 - 14	11	29,3 m <sup>2</sup>	200 cm	-	-	● ●	-	● ● ● ● ●	-
1707	●	349 cm	334 cm	343 cm	3 - 14	15	31,2 m <sup>2</sup>	150 cm	150 cm	-	● ●	-	● ● ● ● ●	-
1708	●	400 cm	356 cm	373 cm	3 - 14	24	40,5 m <sup>2</sup>	220 cm	150 cm	-	● ●	-	● ● ● ● ●	-
1710	●	451 cm	395 cm	343 cm	3 - 14	29	45,1 m <sup>2</sup>	200 cm	90, 150 cm	-	● ●	-	● ● ● ● ●	-
1712	●	568 cm	396 cm	373 cm	3 - 14	31	52,1 m <sup>2</sup>	220 cm	180 cm	-	● ●	-	● ● ● ● ●	-
1711	●	702 cm	338 cm	373 cm	3 - 14	32	55,1 m <sup>2</sup>	200 cm	90, 180 cm	-	● ●	-	● ● ● ● ●	-
1713	●	606 cm	365 cm	343 cm	3 - 14	45	55,8 m <sup>2</sup>	220 cm	120, 150, 180 cm	-	● ●	-	● ● ● ● ●	-



1727



1728



1730-1



1731



1740

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	inox wood	Panels variants HDPE	HPL	
1727	●	535 cm	375 cm	510 cm	4 - 14	38	44,1 m <sup>2</sup>	270 cm	90, 210 cm	-	●	●	-	● ● ● ● ●	-
1728	●	825 cm	735 cm	510 cm	4 - 14	44	63,2 m <sup>2</sup>	270 cm	90, 120 cm	240 cm	●	●	-	● ● ● ● ●	-
1730-1	●	745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm	●	●	-	● ● ● ● ●	-
1731	●	1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●	-	● ● ● ● ●	-
1740	●	1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	● ● ● ● ●	-



1741



1745



1790



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE	HPL
1741	●	1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm	● ● -	● ● ● ● ●	-
1745	●	1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm	● ● -	● ● ● ● ●	-
1790	●	2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm	● ● -	● ● ● ● ●	-





1736



SEE MORE!



1780

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	inox wood	Panels variants HDPE	HPL
1736	●	498 cm	324 cm	286 cm	3 - 14	24	37,9 m <sup>2</sup>	90 cm	90 cm	-	● ●	-	● ● ● ● ●	-
1780	●	1200 cm	605 cm	645 cm	4 - 14	87	101,4 m <sup>2</sup>	270 cm	120, 150 cm	180 cm	● ●	-	● ● ● ● ●	-

#### Characteristics of the STEEL+ series:

- Galvanised steel construction
- Stainless steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- UV printed PC panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels
- Stainless steel tube slides

#### Colour & material options\*:

- |   |   |                                   |   |
|---|---|-----------------------------------|---|
| Colour (panels):  | Construction:   | Slides:                           | Tubes:  |
| <span style="color: #008000;">●</span> HDPE - RAL6024 <span style="color: red;">●</span> HDPE - RAL3020 <span style="color: green;">●</span> C11E HDPE - multicolour <span style="color: blue;">●</span> HDPE - RAL5015 <span style="color: brown;">●</span> HDPE - RAL8024 | <span style="color: grey;">●</span> Painted steel RAL 7040 <span style="color: lightgrey;">●</span> Stainless steel | - Stainless steel<br>- Fiberglass | - Stainless steel<br>- PE   |
|   |   |                                   | Anchoring:  |
|   |   |                                   | <span style="color: lightgrey;">●</span> Surface<br><span style="color: brown;">●</span> Deep |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# topicco

## Play a role!

A series of role-playing devices: a train station, a fire station, a fire truck, a lighthouse, a ship, a truck or a roller. These devices release a child's natural tendency to play happily and learn the "adult world" as well as engage in teamwork training.

The TOPICCO series offers a number of elements such as educational panels or manual elements that stimulate motor skills and positively affect the intellectual development of young children.



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel inox wood	Panels variants HDPE	HPL
WD1534	●	600 cm	585 cm	630 cm	3 - 14	39	49,4 m <sup>2</sup>	180 cm	-	180, 330 cm	- - ●		-
WD1541	●	510 cm	310 cm	405 cm	1 - 8	22	38,0 m <sup>2</sup>	210 cm	59 cm	210 cm	- - ●		-
WD1542	●	880 cm	830 cm	405 cm	1 - 8	54	94,6 m <sup>2</sup>	210 cm	59 cm	210 cm	- - ●		-



3101

3102



3103



3104

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction steel	inox wood	Panels variants HDPE	HPL
3101	●	346 cm	268 cm	202 cm	3 - 12	13	27,9 m <sup>2</sup>	90 cm	90 cm	-	●	-		-
3102	●	439 cm	207 cm	202 cm	3 - 12	15	29,2 m <sup>2</sup>	90 cm	90 cm	-	●	-		-
3103	●	296 cm	268 cm	200 cm	3 - 12	14	25,9 m <sup>2</sup>	90 cm	90 cm	-	●	-		-
3104	●	298 cm	268 cm	206 cm	3 - 12	14	26,2 m <sup>2</sup>	90 cm	90 cm	-	●	-		-

#### Characteristics of the TOPICCO series:



Wood construction



Galvanised anchors



Galvanised steel construction or elements



Stainless steel elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



PE tube slides



Durable connectors



PP tunnels

#### Colour & material options\*:

Anti-slip and waterproof platforms:  
- HEXA HPL  
- HEXA plywoodSlides:  
- Stainless steel  
- FiberglassTubes:  
- PE  
- FiberglassAnchoring:  
- Surface  
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# wooden

## Equipment from painted wood

The WOODEN series is an endless source of inspiration for both younger and older children how to have fun.

Various educational and sensory panels, coupled with moving elements, will bring children lots of joy and draw a lot of interest.

The environmentally friendly wooden equipment from this series stimulates the child's comprehensive physical development and also allows a large group of kids to play together at the same time. Thanks to this, child learns how to establish relationships with their fellows and how to work as part of a team.



WD1503



WD1403



WD1437



WD1401



WD1402



WD1407

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants			
											steel	inox	wood	HDPE	HPL
WD1503	●	342 cm	336 cm	247 cm	1 - 8	25	33,8 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	● ● ●	
WD1403	●	204 cm	139 cm	170 cm	3 - 14	7	18,8 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	● ● ●	
WD1437	●	349 cm	173 cm	103 cm	1 - 8	15	27,3 m <sup>2</sup>	< 60 cm	-	-	-	●	● ● ●		
WD1401	●	97 cm	96 cm	139 cm	1 - 8	4	13,8 m <sup>2</sup>	< 60 cm	-	-	●	●	● ● ●		
WD1402	●	166 cm	99 cm	191 cm	1 - 8	6	15,6 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	● ● ●	
WD1407	●	260 cm	270 cm	280 cm	3 - 14	13	27,5 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	● ● ●	





WD1505



WD1501



WD1506



SEE MORE!

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	Panels variants HDPE	HPL
WD1501	-	218 cm	224 cm	277 cm	1 - 8	9	21,7 m <sup>2</sup>	90 cm	90 cm	40, 90 cm	-	-	
WD1505		675 cm	580 cm	280 cm	1 - 8	58	62,1 m <sup>2</sup>	90 cm	90 cm	35, 40, 59, 90 cm	-	-	
WD1506		825 cm	830 cm	280 cm	1 - 8	90	96,2 m <sup>2</sup>	90 cm	59, 90 cm	35, 40, 59, 90 cm	-	-	



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	Panels variants HDPE	HPL
WD1434	●	215 cm	145 cm	280 cm	1 - 8	7	19,5 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	- -	● ● ● ●	
WD1436	-	360 cm	315 cm	280 cm	1 - 8	14	30,4 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	- -	● ● ● ● ●	
WD1504	●	440 cm	451 cm	367 cm	3 - 12	29	43,4 m <sup>2</sup>	180 cm	120, 150 cm	35, 120, 150, 180 cm	- -	● ● ● ●	
WD1502	●	247 cm	213 cm	307 cm	1 - 8	11	22,9 m <sup>2</sup>	120 cm	120 cm	120 cm	- -	● ● ● ●	



WD1408



WD1406



WD1404



WD1405



WD1438



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	Panels variants inox wood HDPE HPL
WD1408	●	365 cm	290 cm	310 cm	3 - 14	13	31,1 m <sup>2</sup>	120 cm	120 cm	90, 120 cm	- -	● ● ● ● ●
WD1406	-	316 cm	252 cm	310 cm	3 - 14	11	26,2 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	- -	● ● ● ● ●
WD1404	-	314 cm	150 cm	307 cm	3 - 14	7	22,4 m <sup>2</sup>	120 cm	120 cm	120 cm	- -	● ● ● ● ●
WD1405	●	328 cm	245 cm	337 cm	3 - 14	13	26,4 m <sup>2</sup>	150 cm	150 cm	- -	● ● ● ● ●	
WD1438	●	328 cm	474 cm	307 cm	3 - 14	12	38,1 m <sup>2</sup>	130 cm	120 cm	120 cm	- -	● ● ● ● ●



WD1409



WD1410

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	Panels variants
											inox	wood HDPE HPL
WD1409	-	460 cm	355 cm	340 cm	3 - 14	19	38,3 m <sup>2</sup>	190 cm	150 cm	90, 150 cm	- -	● ○ ● ● ○ ●
WD1410	-	405 cm	335 cm	370 cm	3 - 14	23	41,2 m <sup>2</sup>	220 cm	150 cm	150, 180 cm	- -	● ○ ● ● ○ ●



WD1449



WD1412



WD1411



WD1454




WD1413



WD1450

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants				
											steel	inox	wood	HDPE	HPL	
WD1449	-	322 cm	278 cm	367 cm	3 - 14	16	28,5 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-				
WD1412	●	565 cm	424 cm	367 cm	3 - 14	31	50,2 m <sup>2</sup>	210 cm	90, 180 cm	90, 120, 150, 180 cm	-	-				
WD1411	●	563 cm	357 cm	367 cm	3 - 14	30	47,4 m <sup>2</sup>	180 cm	150 cm	120, 150, 180 cm	-	-				
WD1454	-	910 cm	405 cm	410 cm	3 - 14	30	55,3 m <sup>2</sup>	220 cm	210 cm	120, 150, 180, 210 cm	-	-				
WD1413	●	627 cm	319 cm	340 cm	3 - 14	51	56,2 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-				
WD1450	●	535 cm	510 cm	235 cm	7 - 16	31	45,3 m <sup>2</sup>	220 cm	120, 150 cm	120, 150 cm	-	-				



WD1439



WD1452



WD1453



WD1451

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	Panels variants HDPE	Panels variants HPL
WD1439	-	306 cm	230 cm	230 cm	3 - 14	17	29,9 m <sup>2</sup>	220 cm	-	120, 150 cm	-		
WD1452	-	528 cm	428 cm	260 cm	7 - 16	31	47,8 m <sup>2</sup>	250 cm	-	150, 180 cm	-		
WD1453	-	686 cm	547 cm	230 cm	4 - 16	36	54,8 m <sup>2</sup>	200 cm	-	150 cm	-		
WD1451	-	427 cm	206 cm	260 cm	7 - 16	14	33,2 m <sup>2</sup>	250 cm	-	150, 180 cm	-		



WD1415



WD1414



WD1433



WD1580



WD1581



SEE MORE!



WD1418-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels variants		
										steel	inox	wood	HDPE	HPL
WD1433	●	300 cm	275 cm	250 cm	1 - 8	14	25,1 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	● ● ● ●
WD1414	●	395 cm	330 cm	260 cm	3 - 14	21	31,4 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	● ● ● ●
WD1415	●	615 cm	395 cm	290 cm	3 - 14	34	47,7 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-	●	● ● ● ●
WD1580	●	1285 cm	740 cm	490 cm	3 - 14	82	98,3 m <sup>2</sup>	180 cm	120, 150, 180 cm	120, 150, 180 cm	-	-	●	● ● ● ●
WD1581	●	1100 cm	525 cm	485 cm	3 - 14	52	74,6 m <sup>2</sup>	150 cm	90, 150 cm	35, 90, 120, 150 cm	-	-	●	● ● ● ●
WD1418-1	●	1575 cm	805 cm	490 cm	3 - 14	120	134,5 m <sup>2</sup>	180 cm	120, 150, 180* cm	120, 150, 180 cm	-	-	●	● ● ● ●

\*Height of tube slides.







WD1430



WD1431



WD1432



WD1550



WD1551



WD1552

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	Panels variants inox wood HDPE HPL	
WD1430	●	154 cm	99 cm	120 cm	1 - 8	9	16,2 m <sup>2</sup>	110 cm	-	-	-	●  -	
WD1431	●	154 cm	99 cm	120 cm	1 - 8	11	16,2 m <sup>2</sup>	110 cm	-	-	-	●  -	
WD1432	●	154 cm	104 cm	120 cm	1 - 8	9	16,2 m <sup>2</sup>	110 cm	-	-	-	●  -	
WD1550	●	386 cm	336 cm	260 cm	3 - 12	28	33,3 m <sup>2</sup>	120 cm	90 cm	40, 90, 120 cm	-	-	●  -
WD1551	●	292 cm	220 cm	214 cm	1 - 8	12	25,3 m <sup>2</sup>	< 60 cm	59 cm	59 cm	-	-	●  -
WD1552	●	244 cm	100 cm	184 cm	1 - 8	10	19,9 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●  -

#### Characteristics of the WOODEN series:



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel elements



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels



PE tube slides

#### Colour & material options\*:



Colour (panels):

C1 HPL - RAL6000

C2 HPL - RAL3000

C11E HDPE - multicolour

C3 HPL - RAL5024

C9 HPL - wood pattern



Platforms:

- HEXA HPL

- HEXA plywood



Slides:

- Stainless steel

- Fiberglass



Anchoring:

- Surface

- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# solo.

## Fun for youngsters!

The SOLO series is a paradise for preschoolers, which is ruled by sand, water, sound and movement.

Free fun develops natural creativity of the child, encourages to do experiments and triggers the desire to cooperate with other children.

The richness of colours, manual and sound elements, along with educational panels: all these elements comprehensively stimulate the senses and the intellectual development of child.



New!



0826



0810



0811



0812



0813



0820



0825


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Panels		
								steel	inox	wood	HDPE	HPL
0826	-	275 cm	60 cm	165 cm	3 - 12	5	18,4 m <sup>2</sup>	90 cm	●	-	-	●
0810	-	168 cm	94 cm	166 cm	3 - 12	5	16,5 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ●
0811	-	143 cm	92 cm	74 cm	3 - 12	4	15,4 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ●
0812	-	130 cm	89 cm	96 cm	3 - 12	4	14,8 m <sup>2</sup>	90 cm	●	-	-	● ● ● ●
0813	-	143 cm	94 cm	166 cm	3 - 12	6	15,4 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ●
0820	●	170 cm	100 cm	100 cm	3 - 12	5	17,0 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ●
0825	-	734 cm	94 cm	166 cm	3 - 12	20	38,6 m <sup>2</sup>	90 cm	●	-	-	● ● ● ●



0824



0841



0822





0840



0821



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Panels		
								steel	inox	wood	HDPE	HPL
0824	●	188 cm	141 cm	155 cm	1 - 8	13	17,6 m <sup>2</sup>	< 60 cm	●	-	-	● ●
0841	●	378 cm	199 cm	144 cm	1 - 8	13	29,4 m <sup>2</sup>	< 60 cm	●	-	-	● ●
0822	●	204 cm	100 cm	73 cm	1 - 8	3	18,5 m <sup>2</sup>	< 60 cm	●	-	-	● ●
0840	●	128 cm	76 cm	119 cm	1 - 8	7	14,2 m <sup>2</sup>	< 60 cm	●	-	-	● ●
0821	-	173 cm	55 cm	133 cm	1 - 8	3	15,0 m <sup>2</sup>	< 60 cm	●	-	-	● ●




Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction	Panels variants			
												steel	inox	wood	HDPE	HPL
0830	-	177 cm	67 cm	175 cm	3 - 12	3	15,2 m <sup>2</sup>	90 cm	90 cm	135 cm	90 cm		-	-		-
0831	-	218 cm	67 cm	205 cm	3 - 14	4	16,3 m <sup>2</sup>	120 cm	120 cm	180 cm	120 cm		-	-		-
0832	-	270 cm	67 cm	235 cm	3 - 14	4	17,6 m <sup>2</sup>	150 cm	150 cm	240 cm	150 cm		-	-		-
WD1440	-	168 cm	84 cm	141 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	-	-			
WD1441	-	203 cm	84 cm	171 cm	1 - 8	3	16,7 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	-	-			
WD1442	-	239 cm	84 cm	201 cm	3 - 14	3	17,9 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	-	-			
WD1443	-	285 cm	84 cm	231 cm	3 - 14	3	19,5 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	-	-			
WD1444	-	321 cm	84 cm	261 cm	3 - 14	3	20,8 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	-	-			
WD1445	-	358 cm	84 cm	291 cm	3 - 14	3	22,1 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	-	-			
WD1446	-	515 cm	84 cm	380 cm	3 - 14	3	27,0 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	-	-			
WD1447	-	635 cm	84 cm	480 cm	3 - 14	3	31,1 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	-	-			
WD1448	-	755 cm	84 cm	581 cm	3 - 14	3	35,2 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	-	-			








New!

1751



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction steel	Panels variants HDPE	HPL
1751	-	165 cm	85 cm	150 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	●	-	-
1752	-	205 cm	85 cm	180 cm	1 - 8	3	16,8 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	●	-	-
1753	-	240 cm	85 cm	215 cm	3 - 14	3	17,7 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	●	-	-
1754	-	285 cm	85 cm	240 cm	3 - 14	3	18,8 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	●	-	-
1755	-	320 cm	85 cm	270 cm	3 - 14	3	19,7 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	●	-	-
1756	-	355 cm	85 cm	300 cm	3 - 14	3	20,6 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	●	-	-
1757	-	510 cm	85 cm	385 cm	3 - 14	3	24,4 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	●	-	-
1758	-	630 cm	85 cm	485 cm	3 - 14	3	27,4 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	●	-	-
1759	-	750 cm	85 cm	585 cm	3 - 14	3	30,4 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	●	-	-

More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Panels		
								steel	inox	wood	HDPE	HPL
0801-1	-	178 cm	178 cm	30 cm	1 - 12	11	20,9 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ●
0802-1	-	323 cm	287 cm	43 cm	1 - 12	18	29,1 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ●
0800	●	30 cm	30 cm	40 cm	1 - 12	1	8,7 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ●
WD1416	-	415 cm	165 cm	140 cm	1 - 12	11	27,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ●
WD1482	●	139 cm	139 cm	78 cm	1 - 12	8	17,3 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ●

**MODULAR SYSTEM**



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



WD1458



WD1429



WD1457-1



WD1455



WD1456

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Panels		
								steel	inox	wood	HDPE	HPL
WD1458	-	258 cm	258 cm	28 cm	1 - 12	16	29,2 m <sup>2</sup>	< 60 cm	-	-		
WD1429	-	254 cm	221 cm	28 cm	1 - 12	9	21,8 m <sup>2</sup>	< 60 cm	-	-		
WD1457-1	-	380 cm	210 cm	35 cm	1 - 12	11	32,7 m <sup>2</sup>	< 60 cm	-	-		
WD1455		348 cm	171 cm	191 cm	1 - 12	23	28,6 m <sup>2</sup>	< 60 cm	-	-		
WD1456		145 cm	62 cm	170 cm	1 - 12	5	13,7 m <sup>2</sup>	< 60 cm	-	-		-



WD1427



WD1467



WD1468



WD1469



WD1470



WD1471



WD1472

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Panels		
								steel	inox	wood	HDPE	HPL
WD1427	●	167 cm	97 cm	114 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	-	-	●	● ● ●
WD1467	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	● ● ●
WD1468	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	● ● ●
WD1469	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	● ● ●
WD1470	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ●
WD1471	●	84 cm	12 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ●
WD1472	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	● ● ●



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Panels			
									steel	inox	wood	HDPE	HPL
WD1473	●	84 cm	21 cm	130 cm	1 - 8	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ●	● ● ● ●
WD1474	●	84 cm	21 cm	130 cm	1 - 8	2	10,4 m <sup>2</sup>	< 60 cm	-	-	●	● ●	● ● ● ●
WD1475	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ●	● ● ● ●
WD1476	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ●	● ● ● ●
WD1477	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ●	● ● ● ●
WD1478	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-	●
WD1560	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	● ●	● ● ● ●
WD1561	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	● ●	● ● ● ●
WD1562	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	● ●	● ● ● ●
WD1563	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ●	● ● ● ●
WD1564	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	● ●	● ● ● ●
WD1565	●	84 cm	10 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ●	● ● ● ●



0122

0120

0121



0806-1




0808-1



0809



0804




0685

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Panels			
									steel	inox	wood	HDPE	HPL
0122	●	144 cm	77 cm	97 cm	1 - 12	4	13,2 m <sup>2</sup>	< 60 cm	●	●	-	●	● ● ● ●
0120	●	76 cm	15 cm	97 cm	1 - 12	2	9,9 m <sup>2</sup>	< 60 cm	●	●	-	●	●
0121	●	80 cm	78 cm	97 cm	1 - 12	3	11,6 m <sup>2</sup>	< 60 cm	●	●	-	●	● ● ● ●
0806-1	●	90 cm	15 cm	165 cm	3 - 12	2	10,3 m <sup>2</sup>	< 60 cm	●	-	-	●	●
0808-1	●	35 cm	17 cm	100 cm	3 - 12	2	8,7 m <sup>2</sup>	< 60 cm	-	●	-	●	●
0804	●	120 cm	17 cm	130 cm	3 - 12	2	11,4 m <sup>2</sup>	< 60 cm	●	-	-	-	●
0685	-	84 cm	79 cm	123 cm	3 - 12	2	11,5 m <sup>2</sup>	< 60 cm	-	●	-	●	-
0809	-	81 cm	81 cm	300 cm	3 - 12	4	11,7 m <sup>2</sup>	< 60 cm	●	-	-	-	-







1760 1761 1762 1763 1770



1771 1772 1720



1722 1721

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
1760	●	81 cm	14 cm	134 cm	1 - 8	2	10,0 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1761	●	81 cm	15 cm	134 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1762	●	81 cm	12 cm	134 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1763	●	84 cm	25 cm	147 cm	1 - 8	2	10,6 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1770	●	81 cm	38 cm	134 cm	1 - 8	1	10,9 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1771	●	130 cm	17 cm	116 cm	1 - 8	2	11,7 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1772	●	136 cm	77 cm	206 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1720	●	240 cm	77 cm	206 cm	1 - 8	7	16,2 m <sup>2</sup>	67 cm	●	●	-	● ● ● ● ●	-
1721	●	349 cm	166 cm	206 cm	1 - 8	10	21,6 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-
1722	●	263 cm	112 cm	206 cm	1 - 8	6	20,2 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ●	-



**MODULAR SYSTEM**



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
WP2850	●	225 cm	30 cm	115 cm	1+	7	15,0 m <sup>2</sup>	< 60 cm
WP2853	●	175 cm	90 cm	115 cm	1+	9	15,3 m <sup>2</sup>	< 60 cm
WP2855	●	260 cm	100 cm	160 cm	1+	14	19,6 m <sup>2</sup>	< 60 cm
WP2858	●	240 cm	205 cm	115 cm	1+	13	20,4 m <sup>2</sup>	< 60 cm
WP2863	●	325 cm	250 cm	125 cm	1+	20	26,5 m <sup>2</sup>	< 60 cm



0816

0817

0823

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Panels
								steel	inox	wood
								HDPE	HPL	
0816	-	94 cm	87 cm	< 60 cm	3 - 12	3	11,9 m <sup>2</sup>	< 60 cm	-	
0817	-	120 cm	50 cm	59 cm	3 - 12	2	12,0 m <sup>2</sup>	< 60 cm	-	
0823	●	100 cm	395 cm	160 cm	3 - 16	2	19,9 m <sup>2</sup>	99 cm	-	-

#### Characteristics of the SOLO series:

	Stainless steel construction or elements		Galvanised steel construction or elements		Wood construction		Galvanised anchors		HPL HEXA platforms		HDPE panels
	Polycarbonate (PC) panels		Stainless steel slides		Durable connectors		Ropes with steel core		Protective tops		PP tunnels

#### Colour & material options\*:

	Colour (panels):		Construction:		Platforms:		Slides:		Anchoring:
	C11E HDPE - multicolour		C12E HDPE - grey/black		- HEXA HPL		- Stainless steel		
	/ HPL RAL6000		/ HPL RAL3000		- HEXA plywood		- Fiberglass		

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# minisweet

## Colourful series for the youngest

The MINISWEET series consists of playground equipment designed for the youngest children and preschoolers.

Friendly houses, tunnels and slides are an ideal place to have fun together. This is also where the child learns the principles of functioning in a group while perfecting its language skills.

Minisweet devices encourage children to exercise and support the development of key mobility aptitudes. They allow every toddler to enjoy joyful and carefree fun.



0106-1C1



0100C1



0103C1



0101-1C1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels
											steel	inox	wood
											HDPE		HPL
0106-1C1	●	315 cm	170 cm	220 cm	1 - 8	12	23,7 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm	●	●	-
0100C1	●	100 cm	100 cm	170 cm	1 - 8	3	14,1 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	●
0103C1	●	255 cm	240 cm	170 cm	1 - 8	14	23,2 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	●
0101-1C1	●	160 cm	100 cm	170 cm	1 - 8	7	15,6 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	●



0108-2C2



0102C2



0107C3



0105C3



0109-1C9



0104C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels		
										steel	inox	wood	HDPE	HPL
0108-2C2	●	305 cm	160 cm	170 cm	1 - 8	19	25,1 m <sup>2</sup>	< 60 cm	-	-	●	●	●	● ● ● ●
0102C2	●	165 cm	160 cm	170 cm	1 - 8	12	18,1 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	-	● ● ● ●
0107C3	●	320 cm	245 cm	220 cm	1 - 8	17	26,2 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm	●	●	-	● ● ● ●
0105C3	-	175 cm	160 cm	220 cm	1 - 8	7	20,0 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	●	●	-	● ● ● ●
0109-1C9	-	320 cm	370 cm	220 cm	1 - 8	21	33,0 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm	●	●	-	● ● ● ●
0104C9	●	220 cm	100 cm	220 cm	1 - 8	6	18,1 m <sup>2</sup>	< 60 cm	59 cm	59 cm	●	●	-	● ● ● ●





0110



0111



0112



0114



0113

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels			
										steel	inox	wood	HDPE	HPL
0110	●	260 cm	250 cm	250 cm	1 - 8	15	27,2 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	●	●	-	● ● ● ● ●
0111	●	255 cm	200 cm	240 cm	1 - 8	11	21,8 m <sup>2</sup>	< 60 cm	59 cm	59 cm	●	●	-	● ● ● ● ●
0112	●	260 cm	160 cm	250 cm	1 - 8	11	20,3 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	●	●	-	● ● ● ● ●
0113	●	410 cm	290 cm	270 cm	1 - 8	27	30,7 m <sup>2</sup>	90 cm	59 cm	59, 90 cm	●	●	-	● ● ● ● ●
0114	●	335 cm	350 cm	250 cm	1 - 8	26	35,3 m <sup>2</sup>	90 cm	59 cm	59, 90 cm	●	●	-	● ● ● ● ●

#### Characteristics of the MINISWEET series:



Stainless steel construction or elements



Galvanised steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

#### Colour & material options\*:



Colour (panels):

● C1 HPL - RAL6000

● C2 HPL - RAL3000

● C11E HDPE - multicolour

● C3 HPL - RAL5024

● C9 HPL - wood pattern



Construction:

● Painted steel RAL7040

● Stainless steel



Platforms:

- HEXA HPL

- HEXA plywood



Slides:

- Stainless steel

- Fiberglass



Anchoring:

- Surface

- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# steel

## Classic tower sets

The STEEL series consists of classic structures that offer unlimited fun for older children. The sets of equipment from this series can be perfectly adapted to the needs of children and the available space.

Rows of towers connected by various attractive movable elements make for a great training ground for motor coordination. They allow a large group of children to play together at the same time, which helps to establish relationships and also teaches teamwork as well as healthy competition.



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels			
											steel	inox			
											wood	HDPE			
0204C9	-	455 cm	404 cm	321 cm	3 - 14	14	38,2 m <sup>2</sup>	180 cm	120 cm	120 cm		-			
0814C9	●	100 cm	97 cm	164 cm	1 - 8	4	14,0 m <sup>2</sup>	< 60 cm	-	10 cm		-			
0815-2C9	●	175 cm	99 cm	164 cm	1 - 8	5	16,9 m <sup>2</sup>	< 60 cm	-	10 cm		-			
0201-1C9	-	272 cm	166 cm	321 cm	3 - 14	5	21,5 m <sup>2</sup>	120 cm	120 cm	120 cm		-			
0200C9	-	209 cm	162 cm	176 cm	3 - 14	7	19,7 m <sup>2</sup>	90 cm	90 cm	90 cm		-			



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels						
										steel	inox	wood	HDPE	HPL				
0212C1	-	283 cm	185 cm	291 cm	3 - 14	8	22,6 m <sup>2</sup>	90 cm	90 cm	90 cm		-	-					
0202-1C1	-	345 cm	274 cm	321 cm	3 - 14	8	28,4 m <sup>2</sup>	120 cm	120 cm	120 cm		-	-					
0203-1C1	-	345 cm	361 cm	321 cm	3 - 14	14	35,0 m <sup>2</sup>	120 cm	120 cm	120 cm		-	-					
0205-1C2	-	540 cm	365 cm	351 cm	3 - 14	16	44,4 m <sup>2</sup>	150 cm	120, 150 cm	120, 150 cm		-	-					
0213C2	-	330 cm	400 cm	292 cm	3 - 14	17	36,6 m <sup>2</sup>	90 cm	90 cm	90 cm		-	-					
0207C2	-	440 cm	470 cm	321 cm	3 - 14	18	44,1 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm		-	-					
0208C3	-	495 cm	470 cm	351 cm	3 - 14	30	51,0 m <sup>2</sup>	150 cm	90, 150 cm	90, 150 cm		-	-					
0209C3	●	633 cm	556 cm	352 cm	3 - 14	25	59,6 m <sup>2</sup>	150 cm	120, 150 cm	120, 150 cm		-	-					
0206C3	-	537 cm	457 cm	321 cm	3 - 14	23	55,9 m <sup>2</sup>	210 cm	-	120 cm		-	-					





Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	inox	wood	Panels HDPE	Panels HPL
0211-1C3	●	1145 cm	910 cm	409 cm	3 - 14	78	160,0 m <sup>2</sup>	210 cm	90, 180, 210 cm	35, 40, 59, 90, 120, 150, 180, 210 cm	●	-	-	● ● ● ● ●	● ● ● ● ●
0214C3	-	809 cm	725 cm	322 cm	3 - 14	45	90,4 m <sup>2</sup>	210 cm	120, 150 cm	120, 150 cm	●	-	-	● ● ● ● ●	● ● ● ● ●
0210-1C3	●	980 cm	932 cm	351 cm	3 - 14	55	107,6 m <sup>2</sup>	180 cm	90, 120, 150 cm	35, 40, 90, 120, 150 cm	●	-	-	● ● ● ● ●	● ● ● ● ●

#### Characteristics of the STEEL series:

- Galvanised steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Stainless steel elements
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels

#### Colour & material options\* :

- |                       |                |                   |            |
|-----------------------|----------------|-------------------|------------|
| Colour (panels):      | Platforms:     | Slides:           | Anchoring: |
| C1 HPL - RAL6000      | - HEXA HPL     | - Stainless steel | - Surface  |
| C2 HPL - RAL3000      | - HEXA plywood | - Fiberglass      | - Deep     |
| C3 HPL - RAL5024      |                |                   |            |
| C9 HPL - wood pattern |                |                   |            |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



## Unique houses

The CROOC series is all about beautiful, unique designs, vibrant colours and multi-tower playground sets that allow large group to have fun together.

Fairytale houses encourage children to engage in role-playing activities with their fellows. Element merging platforms, ladders, climbing walls and slides of different difficulty levels comprehensively stimulate the proper motor development of each child.

This series guarantees that the child's energy is channeled effectively.



0305



0310



0306



0300S1



0303



0304



0300

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	inox wood	HDPE	Panels HPL
0305	●	324 cm	292 cm	250 cm	3 - 12	15	30,3 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	-	●	-	● ●
0310	-	201 cm	105 cm	122 cm	5 - 14	8	18,1 m <sup>2</sup>	120 cm	-	-	●	●	-	● ●
0306	●	400 cm	322 cm	284 cm	3 - 12	16	32,3 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	●	-	● ●
0300S1	●	450 cm	370 cm	340 cm	5 - 14	19	36,4 m <sup>2</sup>	180 cm	180 cm	90, 180 cm	-	●	-	● ●
0303	●	419 cm	330 cm	331 cm	3 - 14	15	33,5 m <sup>2</sup>	180 cm	90, 180 cm	90, 180 cm	-	●	-	● ●
0304	-	254 cm	258 cm	244 cm	3 - 12	9	24,0 m <sup>2</sup>	90 cm	90 cm	90 cm	-	●	-	● ●
0300	●	630 cm	370 cm	340 cm	5 - 14	19	42,5 m <sup>2</sup>	180 cm	180* cm	90, 180 cm	-	●	-	● ●

\*Height of tube slides.



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels
											steel	inox
											wood	HDPE
0301S1	●	775 cm	945 cm	370 cm	5 - 14	43	70,0 m <sup>2</sup>	210 cm	180, 210 cm	90, 120, 180, 210 cm	-	●
0301	●	965 cm	945 cm	370 cm	5 - 14	43	76,2 m <sup>2</sup>	210 cm	180, 210* cm	90, 120, 180, 210 cm	-	●

\*Height of tube slides.



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels	
										steel	inox	wood	
										HDPE	HPL		
0302	●	1460 cm	1060 cm	370 cm	5 - 14	64	112,4 m <sup>2</sup>	210 cm	180, 210* cm	90, 120, 180, 210 cm	-	●	-
0302S1	●	1120 cm	945 cm	370 cm	5 - 14	64	100,5 m <sup>2</sup>	210 cm	180, 210 cm	90, 120, 180, 210 cm	-	●	-

\*Height of tube slides.







Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction steel	inox	wood	HDPE	Panels HPL
0330	●	1435 cm	675 cm	620 cm	5 - 14	110	100,9 m <sup>2</sup>	210 cm	210* cm	90, 110, 120, 150, 180, 210 cm	-	●	-	-	●

\*Height of tube slides.

#### Characteristics of the CROOC series:

- Stainless steel construction or elements
- HPL HEXA platforms
- HPL panels
- Polycarbonate (PC) panels and platforms
- Stainless steel slides
- Stainless steel tube slides
- Durable connectors
- Ropes with steel core
- Protective tops

#### Colour & material options\*:

- |                       |                   |                   |            |
|-----------------------|-------------------|-------------------|------------|
| Colour (panels):      | Slides:           | Tubes:            | Anchoring: |
| C5H HPL - multicolour | - Stainless steel | - Stainless steel | - Surface  |
| C9 HPL - wood pattern | - Fiberglass      | - PE              | - Deep     |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)


# climbo<sup>o</sup>

## Climb, crawl and pull-up

The CLIMBOO series comprises equipment that develops the fitness and coordination of older children, increasing their faith in their own abilities.

Various climbing ladders and walls with a varying level of difficulty strengthen the muscles and teach the child to concentrate and maintain balance.

This series is the perfect place to organise competitive games where exciting physical challenges are coupled with maximum safety.



WD1420



WD1464



WD1428



WD1426



WD1417



WD1419



WD1466

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction	Colour variants
										steel inox wood	HDPE / HPL ropes
WD1420	-	290 cm	255 cm	200 cm	3 - 14	18	31,8 m <sup>2</sup>	190 cm	-	-	
WD1464	-	158 cm	10 cm	46 cm	7 - 16	4	12,2 m <sup>2</sup>	< 60 cm	-	-	
WD1428	-	208 cm	10 cm	131 cm	3 - 14	4	13,8 m <sup>2</sup>	122 cm	-	-	
WD1426	-	220 cm	87 cm	170 cm	3 - 14	4	18,2 m <sup>2</sup>	99 cm	-	-	
WD1417	-	162 cm	91 cm	230 cm	3 - 14	9	22,1 m <sup>2</sup>	220 cm	-	-	
WD1419	-	310 cm	306 cm	230 cm	3 - 14	11	31,2 m <sup>2</sup>	220 cm	-	-	
WD1466	-	232 cm	158 cm	200 cm	7 - 16	19	25,3 m <sup>2</sup>	190 cm	-	-	



WD1465



WD1487



WD1460



WD1462



WD1459

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction steel	inox	wood	Colour variants HDPE / HPL	Colour variants ropes
WD1465	-	158 cm	84 cm	200 cm	7 - 16	6	20,2 m <sup>2</sup>	190 cm	-	-	-	●	-	-
WD1487	-	290 cm	255 cm	230 cm	7 - 16	18	30,7 m <sup>2</sup>	220 cm	-	-	-	●	-	-
WD1460	-	232 cm	87 cm	110 cm	1 - 8	7	16,7 m <sup>2</sup>	99 cm	-	-	-	●	● / ●	● ● ● ●
WD1459	-	102 cm	84 cm	104 cm	1 - 12	1	13,5 m <sup>2</sup>	< 60 cm	-	-	-	●	● / ●	-
WD1462	-	240 cm	233 cm	230 cm	3 - 14	23	33,9 m <sup>2</sup>	220 cm	120 cm	-	-	●	● / ●	● ● ● ●



WD1461




WD1463

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction steel	inox	wood	Colour variants HDPE / HPL ropes
WD1461	-	535 cm	306 cm	140 cm	3 - 14	28	44,7 m <sup>2</sup>	< 60 cm	29, 59 cm	-	-	●	/
WD1463	-	536 cm	316 cm	230 cm	7 - 16	52	60,4 m <sup>2</sup>	220 cm	120, 150 cm	-	-	●	/





Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction steel	inox	wood	Colour variants HDPE / HPL	ropes
0411	-	250 cm	10 cm	30 cm	3 - 12	5	15,1 m <sup>2</sup>	< 60 cm	29 cm	●	-	-	-	-
0410	-	230 cm	115 cm	59 cm	3 - 14	5	18,1 m <sup>2</sup>	< 60 cm	59 cm	●	-	-	-	-
0409	-	210 cm	125 cm	80 cm	3 - 14	9	19,7 m <sup>2</sup>	80 cm	59, 80 cm	●	-	-	-	-
0499	-	135 cm	185 cm	45 cm	3 - 14	4	19,2 m <sup>2</sup>	< 60 cm	-	-	-	●	● / -	● ●
0404-1	-	241 cm	88 cm	121 cm	3 - 14	3	19,1 m <sup>2</sup>	< 60 cm	34 cm	● ●	-	-	-	● ● ●
0401	-	176 cm	92 cm	194 cm	3 - 14	8	19,8 m <sup>2</sup>	180 cm	-	● ●	-	-	-	● ● ●
0402	-	256 cm	172 cm	194 cm	3 - 14	13	26,1 m <sup>2</sup>	180 cm	-	● ●	-	-	-	● ● ●
0403	-	350 cm	311 cm	194 cm	3 - 14	8	30,0 m <sup>2</sup>	180 cm	-	● ●	-	-	-	● ● ●
0405-1	-	474 cm	88 cm	195 cm	3 - 14	10	31,8 m <sup>2</sup>	194 cm	-	● ●	-	-	-	● ● ●
0406	-	241 cm	88 cm	195 cm	3 - 14	6	24,2 m <sup>2</sup>	194 cm	-	● ●	-	-	-	-
0407	-	302 cm	8 cm	165 cm	3 - 14	6	16,6 m <sup>2</sup>	150 cm	-	● ●	-	-	-	-
0408	-	169 cm	60 cm	135 cm	3 - 14	6	14,9 m <sup>2</sup>	120 cm	-	● ●	-	-	-	-



New!



0498

More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



1750



1714



1716

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction	Colour variants			
										steel	inox	wood	HDPE / HPL	ropes
0498	●	160 cm	160 cm	55 cm	4+	6	19,2 m <sup>2</sup>	< 60 cm	-	●	-	-	-	●
1750	-	229 cm	155 cm	166 cm	3 - 14	7	16,2 m <sup>2</sup>	147 cm	-	●	●	●	-	-
1714	-	260 cm	68 cm	289 cm	3 - 14	4	22,0 m <sup>2</sup>	200 cm	-	●	●	-	● ● ● ● ●	●
1716	-	453 cm	187 cm	241 cm	3 - 14	17	39,0 m <sup>2</sup>	225 cm	-	●	●	-	-	●




0412



0413-1





SEE MORE!



0414-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction	Colour variants
										steel    inox    wood	HDPE / HPL    ropes
0412	●	242 cm	88 cm	121 cm	3 - 14	3	17,2 m <sup>2</sup>	< 60 cm	35 cm	● - -	● / ● ● ● ● -
0413-1	-	482 cm	401 cm	121 cm	3 - 14	18	46,4 m <sup>2</sup>	< 60 cm	35 cm	● ● - -	● ● ● ● ● ● ●
0414-1	-	594 cm	401 cm	121 cm	3 - 14	29	56,8 m <sup>2</sup>	< 60 cm	35 cm	● ● - -	● ● ● ● ● ● ●



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction	Colour variants
										steel    inox    wood	HDPE / HPL    ropes
0419-1	-	700 cm	700 cm	450 cm	3 - 14	44	78,5 m <sup>2</sup>	100 cm	-	● - -	● ● ● ● ●
0418-1	-	305 cm	305 cm	300 cm	3 - 14	14	34,7 m <sup>2</sup>	99 cm	-	● - -	● ● ● ● ●
0417-1	-	260 cm	260 cm	250 cm	3 - 14	10	29,6 m <sup>2</sup>	99 cm	-	● - -	● ● ● ● ●
0416-1	-	170 cm	170 cm	250 cm	3 - 14	4	17,3 m <sup>2</sup>	70 cm	-	● - -	● ● ●






0415



0420



0421



0420H



0421H

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction steel	inox	wood	HDPE / HPL	Colour variants ropes
0415	-	2255 cm	326 cm	346 cm	5 - 14	1	80,1 m <sup>2</sup>	140 cm	59 cm		-	-	-	-
0420	-	2445 cm	312 cm	395 cm	5 - 14	1	84,4 m <sup>2</sup>	175 cm	98 cm		-	-	-	-
0421	-	2417 cm	298 cm	395 cm	5 - 14	2	133,4 m <sup>2</sup>	175 cm	98 cm		-	-	-	-
0420H	-	2445 cm	312 cm	395 cm	5 - 14	1	84,4 m <sup>2</sup>	85 cm	-		-	-	-	-
0421H	-	2417 cm	250 cm	395 cm	5 - 14	2	133,4 m <sup>2</sup>	85 cm	-		-	-	-	-

#### Characteristics of the CLIMBOO series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

#### Colour & material options\*:



Colour (panels & construction parts):

C11E HDPE - multicolour

C12E HDPE - grey/black

CASTILLO

C1 HPL - RAL6000

C2 HPL - RAL3000

JUNGLE

C3 HPL - RAL5024

C9 HPL - wood pattern

SPACE



Colour (ropes):

L5 - blue

L7 - red

L6 - black

L8 - beige



Platforms:

HEXA HPL

HEXA plywood



Anchoring:

- Surface

- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)


# nettix<sup>®</sup>

## Ropes, ladders and spinners

The NETTIX series comprises modern equipment in the form of ladders and rope crossings, which constitute a combination of carefree fun and effective fitness training.

Rope climbing stimulates the sense of balance, strengthens the muscles and improves the child's dexterity. It also encourages children to compete with each other.

This series is a creative adventure among ropes, where the boundaries are set only by the children's imagination.



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Ropes options	
									steel	inox	wood
1632	-	365 cm	260 cm	225 cm	4 - 14	7	26,3 m <sup>2</sup>	200 cm		-	-
1638	-	925 cm	260 cm	225 cm	4 - 14	15	51,3 m <sup>2</sup>	200 cm		-	-
1601	-	336 cm	44 cm	223 cm	4 - 14	10	19,9 m <sup>2</sup>	120 cm		-	-
1602	-	336 cm	72 cm	223 cm	4 - 14	5	21,8 m <sup>2</sup>	100 cm		-	-
1603	-	336 cm	60 cm	223 cm	4 - 14	1	21,0 m <sup>2</sup>	115 cm		-	-
1604	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m <sup>2</sup>	120 cm		-	-



Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1605	-	336 cm	43 cm	223 cm	4 - 14	4	27,2 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1606	-	336 cm	11 cm	223 cm	4 - 14	5	17,8 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1607	-	336 cm	11 cm	223 cm	4 - 14	5	24,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1608	-	336 cm	11 cm	223 cm	4 - 14	4	17,8 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●




1609



1635



1630



1610



1636




1631



1633




1634



1637

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1609	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1635	-	258 cm	224 cm	223 cm	4 - 14	10	23,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1630	-	725 cm	180 cm	225 cm	4 - 14	14	41,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1610	-	336 cm	50 cm	223 cm	4 - 14	3	20,3 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1636	-	260 cm	225 cm	225 cm	4 - 14	8	22,2 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1631	-	650 cm	215 cm	225 cm	4 - 14	14	40,0 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1633	-	385 cm	365 cm	225 cm	4 - 14	3	32,9 m <sup>2</sup>	70 cm	●	-	-	-
1634	-	365 cm	260 cm	225 cm	4 - 14	7	25,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1637	-	722 cm	625 cm	223 cm	4 - 14	16	51,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●



SEE MORE!

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Ropes options	
									steel	inox	wood
1639	-	1109 cm	961 cm	223 cm	4 - 14	49	97,9 m <sup>2</sup>	200 cm	●	-	-
1640	-	914 cm	907 cm	223 cm	4 - 14	44	112,0 m <sup>2</sup>	200 cm	●	-	-


#### Characteristics of the NETTIX series:



Galvanised steel construction



Stainless steel elements



HPL HEXA platforms



Ropes with steel core



Spinning elements



Durable connectors



Stainless steel chains



Protective tops

#### Colour & material options\*:



Colour (ropes):

● L5 - blue      ● L7 - red

● L6 - black      ● L8 - beige

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# a spring

## Rocking and swaying

The SPRING series equals pure energy on springs. It satisfies the child's natural need for unrestrained and carefree swinging.

Colourful vehicles and happy animals encourage kids to jump energetically and sway in the rhythm of body movements.

The spring riders, which are so beloved by children, allow for joyful fun which also carries great benefits for kids' development.

New!



0673



0651



0652



0653



0655



0654



0602



0603



0604-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels
									HDPE
									HPL
0673	-	150 cm	85 cm	115 cm	1 - 12	4	15,4 m <sup>2</sup>	< 60 cm	 -
0651	-	74 cm	22 cm	79 cm	1 - 12	1	10,1 m <sup>2</sup>	< 60 cm	 -
0652	-	71 cm	22 cm	78 cm	1 - 12	1	10,0 m <sup>2</sup>	< 60 cm	 -
0653	-	72 cm	22 cm	80 cm	1 - 12	1	10,0 m <sup>2</sup>	< 60 cm	 -
0655	-	72 cm	22 cm	80 cm	1 - 12	1	10,1 m <sup>2</sup>	< 60 cm	 -
0654	-	80 cm	22 cm	78 cm	1 - 12	1	10,3 m <sup>2</sup>	< 60 cm	 -
0602	-	82 cm	21 cm	79 cm	1 - 12	1	10,4 m <sup>2</sup>	< 60 cm	 -
0603	-	80 cm	21 cm	75 cm	1 - 12	1	10,3 m <sup>2</sup>	< 60 cm	 -
0604-1	-	78 cm	21 cm	77 cm	1 - 12	1	10,2 m <sup>2</sup>	< 60 cm	 -



0606



0623



0616



0609



0615-1



0608-2



0607-1



0633



0622

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels
								HDPE	HPL
0606	-	80 cm	43 cm	86 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm	
0623	-	79 cm	78 cm	78 cm	1 - 12	2	12,4 m <sup>2</sup>	< 60 cm	
0616	-	85 cm	43 cm	74 cm	1 - 12	1	11,3 m <sup>2</sup>	< 60 cm	
0609	-	80 cm	43 cm	75 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm	
0615-1	-	62 cm	43 cm	80 cm	1 - 12	1	10,5 m <sup>2</sup>	< 60 cm	
0608-2	-	70 cm	45 cm	80 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	
0607-1	-	74 cm	43 cm	81 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	
0633	-	73 cm	43 cm	75 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	
0622	-	79 cm	69 cm	84 cm	1 - 12	2	12,0 m <sup>2</sup>	< 60 cm	



0632



0631



0630



0600-1



0601-1



0613-1



0611-1

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0632	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm	● ●	-
0631	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm	● ●	-
0630	●	110 cm	82 cm	82 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm	● ●	-
0600-1	-	48 cm	29 cm	84 cm	1 - 12	1	9,5 m <sup>2</sup>	< 60 cm	● ●	-
0601-1	-	140 cm	29 cm	84 cm	1 - 12	2	12,6 m <sup>2</sup>	< 60 cm	● ●	-
0613-1	-	140 cm	120 cm	78 cm	1 - 12	4	14,3 m <sup>2</sup>	< 60 cm	● ●	-
0611-1	-	110 cm	110 cm	54 cm	1 - 12	4	12,5 m <sup>2</sup>	< 60 cm	● ●	-



0674

New!



0672



0626

0610



0682



0670



0660



0671

See also from the ROBINIA series: p.104




RB1363



RB1364

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	
									HPL	
0674	-	265 cm	120 cm	105 cm	1 - 12	8	21,8 m <sup>2</sup>	< 60 cm		-
0672	-	115 cm	80 cm	90 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm		-
0682	-	165 cm	95 cm	140 cm	1 - 12	2	16,4 m <sup>2</sup>	< 60 cm		-
0626	-	124 cm	21 cm	101 cm	1 - 12	2	11,7 m <sup>2</sup>	< 60 cm		-
0610	-	160 cm	21 cm	86 cm	1 - 12	2	12,9 m <sup>2</sup>	< 60 cm		-
0660	-	206 cm	181 cm	87 cm	1 - 12	6	18,8 m <sup>2</sup>	< 60 cm		-
0670	-	333 cm	25 cm	85 cm	1 - 12	4	18,8 m <sup>2</sup>	< 60 cm		-
0671	-	260 cm	116 cm	89 cm	3 - 12	8	16,0 m <sup>2</sup>	< 60 cm		-



0627

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels
0627	-	493 cm	431 cm	45 cm	3 - 14	27	45,4 m <sup>2</sup>	< 60 cm	
							HDPE	HPL	



0612-1

0681

0617-1

0621-1



0619



0624



0625



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels
									HDPE HPL
0612-1	-	104 cm	27 cm	46 cm	3 - 12	1	11,3 m <sup>2</sup>	< 60 cm	
0681	-	67 cm	60 cm	55 cm	3 - 12	2	12,3 m <sup>2</sup>	< 60 cm	
0617-1	-	45 cm	45 cm	61 cm	3 - 14	1	9,3 m <sup>2</sup>	< 60 cm	
0621-1	●	150 cm	100 cm	45 cm	3 - 14	5	16,1 m <sup>2</sup>	< 60 cm	
0619	●	100 cm	100 cm	45 cm	3 - 14	3	12,6 m <sup>2</sup>	< 60 cm	
0624	-	127 cm	32 cm	46 cm	3 - 12	5	12,1 m <sup>2</sup>	< 60 cm	- -
0625	-	298 cm	167 cm	45 cm	3 - 12	4	21,8 m <sup>2</sup>	< 60 cm	- -

#### Characteristics of the SPRING series:



HDPE panels



Stainless steel elements



Durable steel spring



HPL HEXA platforms

#### Colour & material options\*:



Colour (panels):



C11E HDPE - multicolour



C12E HDPE - grey/black



Anchoring:



- Surface



- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# swing

## Swinging in full swing!

The SWING series includes classic equipment beloved by younger and older children.

Colourful single swings, see-saw swings, multi-swings with bird's nest seats and weight-balanced multi-swings offer a pleasant thrill for children and encourage them to play with their friends.

Rhythmic swing movement is an effective body balancing exercise that has a positive effect on the development of the muscular and nervous system.



ST0513



ST0522



ST0524



ST0525



WD1425



ST0500



ST0528

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Seats	
									steel	inox	wood	HDPE	HPL
ST0513	●	100 cm	290 cm	170 cm	3 - 12	7	15,5 m <sup>2</sup>	105 cm	●	●	-	● ●	-
ST0522	-	240 cm	39 cm	81 cm	1 - 8	2	9,7 m <sup>2</sup>	< 60 cm	●	●	-	● ● ● ● ● ● ● ●	-
ST0524	-	310 cm	40 cm	90 cm	3 - 14	2	11,4 m <sup>2</sup>	99 cm	●	●	-	● ● ● ● ● ● ● ●	-
ST0525	-	380 cm	40 cm	90 cm	3 - 14	4	13,1 m <sup>2</sup>	99 cm	●	●	-	● ● ● ●	-
WD1425	-	270 cm	40 cm	115 cm	3 - 14	2	11,1 m <sup>2</sup>	99 cm	-	-	●	● ● ● ●	-
ST0500	-	270 cm	36 cm	80 cm	3 - 12	2	11,3 m <sup>2</sup>	99 cm	●	-	-	● ●	● ● ● ●
ST0528	-	175 cm	120 cm	135 cm	5 - 12	2	18,0 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ● ● ●	●



ST0529

ST0530-1

ST0531

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
								steel	inox	wood	
ST0529	● 245 cm	90 cm	95 cm	5 - 12	2	19,3 m <sup>2</sup>	73 cm	●	-	-	● ● ● ● ●
ST0530-1	● 405 cm	115 cm	120 cm	3 - 12	2	27,3 m <sup>2</sup>	< 60 cm	●	-	-	● ● ●
ST0531	● 290 cm	150 cm	120 cm	14+	1	24,6 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ● ●



**Available seats:**



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



ST0510



ST0511



ST0512


Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
								steel	inox	wood	
ST0510	-	40 cm	155 cm	180 cm	1 - 3/3 - 14	1	11,4 m <sup>2</sup>	99 cm	●	●	-
ST0511	-	40 cm	300 cm	180 cm	1 - 3/3 - 14	2	21,2 m <sup>2</sup>	99 cm	●	●	-
ST0512	-	40 cm	440 cm	180 cm	1 - 3/3 - 14	3	29,8 m <sup>2</sup>	99 cm	●	●	-



ST1421



ST1422



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



ST1491



ST0520



ST1424

#### Available seats:



Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
								steel	inox	wood	
ST1421	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m <sup>2</sup>	130 cm	●	●	-
ST1422	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m <sup>2</sup>	130 cm	●	●	-
ST1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m <sup>2</sup>	130 cm	●	●	-
ST1424	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m <sup>2</sup>	130 cm	●	●	-
ST0520	-	195 cm	250 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm	●	●	-



ST1423



ST1492



ST1497



ST1494


#### Available seats:



Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST1423	●	195 cm	320 cm	240 cm	3 - 12	7	18,1 m <sup>2</sup>	130 cm	●	●	-	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●
ST1492	●	195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	●	●	-	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●
ST1497	●	195 cm	575 cm	240 cm	3 - 12	14	37,0 m <sup>2</sup>	130 cm	●	●	-	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●
ST1494	●	195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m <sup>2</sup>	130 cm	●	●	-	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●



WD1422-1



WD0520



WD1491



WD1424-1



WD1421-1

**Available seats:**

**More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)**

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Colour options
								steel	inox	wood
WD0520	-	195 cm	250 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm	-	-
WD1421-1	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m <sup>2</sup>	130 cm	-	-
WD1422-1	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m <sup>2</sup>	130 cm	-	-
WD1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m <sup>2</sup>	130 cm	-	-
WD1424-1	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m <sup>2</sup>	130 cm	-	-



WD1423-1



WD1492



WD1494

See also from the ROBINIA series: p. 108




RB1351



RB1421

#### Available seats:

R1 R2 R3 R5




WD1497

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Colour options	
								steel	inox	wood	
WD1423-1	●	195 cm	320 cm	240 cm	3 - 12	7	18,1 m <sup>2</sup>	130 cm	-	-	●
WD1492	●	195 cm	499 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	-	-	●
WD1494	●	195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m <sup>2</sup>	130 cm	-	-	●
WD1497	●	195 cm	575 cm	240 cm	3 - 12	14	37,0 m <sup>2</sup>	130 cm	-	-	●



Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0515	-	640 cm	610 cm	234 cm	1 - 3/3 - 14	5	46,4 m <sup>2</sup>	130 cm	●	-	-	
ST0516	-	560 cm	640 cm	235 cm	1 - 3/3 - 14	6	54,5 m <sup>2</sup>	130 cm	●	-	-	
ST0517	●	238 cm	337 cm	293 cm	3 - 12	1	18,1 m <sup>2</sup>	145 cm	●	-	-	



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Colour options
									steel    inox    wood	
ST0509	●	643 cm	558 cm	281 cm	3 - 12	6	49,0 m <sup>2</sup>	130 cm	● - -	
ST0533	-	345 cm	30 cm	230 cm	3 - 12	1	49,0 m <sup>2</sup>	145 cm	● - -	



ST0519



ST0518



ST0521

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	steel	inox	wood	Colour options
ST0518	-	55 cm	400 cm	320 cm	6 - 14	1	29,1 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ● ● ●	
ST0519	-	221 cm	199 cm	242 cm	3 - 14	3	52,8 m <sup>2</sup>	130 cm	●	-	-	● ● ● ● ● ● ● ● ● ● ● ●	
ST0521	-	490 cm	310 cm	270 cm	3 - 14	4	13,5 m <sup>2</sup>	130 cm	●	-	-	● ● ● ● ● ● ● ● ● ● ● ●	

#### Characteristics of the SWING series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



Stainless steel chains



Certified swing seats



Durable connectors



Protective tops



Ropes with steel core

#### Colour & material options\*:



Colour (construction parts):

- C1 - RAL6029
- C4 - RAL1023
- C13 - RAL9005
- CASTILLO
- C2 - RAL3020
- C6 - RAL2009
- C8 - NCS-S-1060-G-60Y
- JUNGLE
- C3 - RAL5015
- C12 - RAL7040
- Ci - stainless steel



Construction:

- SPACE
- STEEL+



Anchoring:

- Painted steel
- Painted wood
- Surface
- Stainless steel
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# h@oop

## Spin, spin!

The HOOP series consists of roundabouts and spinners which drive the world of laughing children.

Spinning is an important activity for the child's development as it promotes the maturation of the nervous system, stimulates the sense of balance, strengthens the muscles and the skeletal system. At the same time it is a source of exciting sensations. For an older child, it is often a favourite place of crazy fun with friends.

Colourful carousels encourage both younger and older children to have fun together.



0720



0703-1



0726



0728

Product code	Age group	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0720	-	155 cm	155 cm	230 cm	3 - 12	21	24,2 m <sup>2</sup>	200 cm	-	●	-	● ● ● ●	● ● ● ●
0703-1	-	120 cm	120 cm	73 cm	3 - 12	6	21,2 m <sup>2</sup>	100 cm	-	●	-	● ● ● ●	● ● ● ●
0726	●	175 cm	175 cm	85 cm	3 - 12	2	26,0 m <sup>2</sup>	100 cm	-	●	-	● ● ● ●	● ● ● ●
0728	●	220 cm	220 cm	90 cm	3 - 12	6	30,2 m <sup>2</sup>	100 cm	-	●	-	● ● ● ●	● ● ● ●




0708-1



0702-2



0705-2



0706-1

See also from the ROBINIA series: p. 105



RB1372



RB1373

Product code	♿	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0708-1	-	120 cm	120 cm	13 cm	3 - 12	4	21,2 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ●
0702-2	-	120 cm	120 cm	73 cm	3 - 12	4	21,2 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ●
0705-2	-	150 cm	150 cm	71 cm	3 - 12	5	23,8 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ●
0706-1	-	150 cm	150 cm	68 cm	3 - 12	8	23,8 m <sup>2</sup>	100 cm	-	●	-	-	● ● ● ●



Product code	icap	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0710	-	55 cm	55 cm	60 cm	3 - 12	1	16,2 m <sup>2</sup>	100 cm	-	●	-	-	-
0700-1	-	50 cm	50 cm	45 cm	3 - 12	3	15,9 m <sup>2</sup>	100 cm	●	-	-	-	-
0701-1	-	50 cm	50 cm	140 cm	3 - 12	1	15,9 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●	-
0712	-	73 cm	73 cm	146 cm	3 - 12	2	17,6 m <sup>2</sup>	100 cm	-	●	-	● ●	-
0713	-	90 cm	42 cm	147 cm	7 - 16	1	11,4 m <sup>2</sup>	< 60 cm	-	●	-	● ●	-



0711



0714



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction	Colour options		
								steel	inox	wood	HDPE	HPL
0711	-	72 cm	72 cm	180 cm	7 - 16	4	35,4 m <sup>2</sup>	100 cm	-	-		-
0714	-	265 cm	35 cm	170 cm	5 - 12	2	34,6 m <sup>2</sup>	120 cm	-	-	-	

#### Characteristics of the HOOP series:

- Stainless steel construction or elements
- Galvanised steel construction or elements
- HPL platforms
- HPL panels
- HDPE panels
- Spinning elements
- Movable elements

#### Colour & material options\*:

- |                                       |                 |
|---------------------------------------|-----------------|
| Colour (panels & construction parts): | Construction:   |
| C5 HPL - multicolour                  | Painted steel   |
| C3 HPL RAL5015                        | Stainless steel |
| C8 HPL NCS-S 1060-G60Y                |                 |
| C12 HPL RAL7038                       |                 |
| JUNGLE                                |                 |

- |            |
|------------|
| Anchoring: |
| - Surface  |
| - Deep     |

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# arena


## Be like Lewy!

The ARENA is a multifunctional playing field that can be an independent sports facility, perfectly suited for public spaces. In the Arena you can play football, basketball, handball, hockey, tennis and many more.

The highest quality construction and materials are resistant to the loads associated with the use of the field. Thanks to the modularity of the size and functional design, as well as the possibility to choose the material and colour version, the Arena can be adapted to individual needs.







### 1. Determine the size of the Arena

Using modular side panels, an Arena of any size can be created.

The corners, depending on the needs, can have a right angle or be cut (set at an angle).



### 2. Choose the design and material options

The structure of the Arena can be secured with a durable hot-dip galvanized coating, or galvanized and additionally secured with a three-layer paint.

Steel modular panels from which we create the Arena come in three options:

- vertical steel tubular profiles permanently welded to the frame, creating a durable, stable structure;
- walls made of HDPE board, resistant to weather conditions, reinforced with steel profiles;
- vertical rails made of recycled composite, resistant to moisture and low temperatures.



### 3. Set the height

Thanks to the modular panels, the height of the side walls can be freely adjusted to individual needs. Each panel is 1 m high. The durable safety net is available in the height of 2 or 3 m.


There are five combinations to choose from:

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>- one row of panels;</li> <li>- two rows of panels;</li> <li>- three rows of panels;</li> </ul> | <ul style="list-style-type: none"> <li>- two rows of panels + 3 m safety net;</li> <li>- three rows of panels + 2 m safety net.</li> </ul> |
|--|--|



### 4. Select the entrance type

The type of entrance to the Arena can be adjusted to suit any needs. Five types are available: a panel with an opening, an openable wicket with or without additional blockade against the entry of bicycles, an offset panel or a lockable technical entrance.



**5. Select football goals**

Football goals come in four configurations:

- without top panel;
- with top panel;
- with top panel and the basketball basket on the front;
- with top panel and two basketball baskets: front and rear.

**6. Pick side elements in the goals**

The side walls of the goals come in three variants:

- open;
- with a crossbar to prevent the bicycle from entering the field;
- completely closed (full goal).



2431



2432



2451



2441



2452



2495



2498



2421



2422



2423



240606-001



240606-002



241308-001

Product code		Product length	Product width	Product height	Age range	Construction			Panels	
						steel	inox	wood	HDPE	composite
2431	●	190 cm	120 cm	380 cm	3+	●	-	-	-	-
2432	●	190 cm	145 cm	385 cm	3+	●	-	-	-	-
2451	●	130 cm	30 cm	80 cm	3+	●	-	-	-	-
2452	●	320 cm	110 cm	210 cm	3+	●	-	-	● ● ● ● ● ● ● ● ● ●	●
2441	●	1135 cm	10 cm	260 cm	3+	●	-	-	-	-
2495	●	180 cm	30 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ● ● ●	●
2498	-	16 cm	18 cm	96 cm	-	●	-	-	-	-
2421	●	320 cm	235 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ● ● ●	●
2422	●	820 cm	235 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ● ● ●	●
2423	●	1175 cm	290 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ● ● ●	●
240606-001	●	615 cm	670 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ● ● ●	●
240606-002	●	615 cm	670 cm	205 cm	3+	●	-	-	● ● ● ● ● ● ● ● ● ●	●
241308-001	●	1315 cm	860 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ● ● ●	●



241308-002



241708-001



241708-002



242011-001



242011-002



242011-003



242311-001



242415-001



242917-001

Product code		Product length	Product width	Product height	Age range	Construction			Panels	
						steel	inox	wood	HDPE	composite
241308-002		1460 cm	820 cm	385 cm	3+		-	-		
241708-001		1965 cm	820 cm	385 cm	3+		-	-		
241708-002		2240 cm	980 cm	505 cm	3+		-	-		
242011-001		2210 cm	1070 cm	385 cm	3+		-	-		
242011-002		2210 cm	1260 cm	505 cm	3+		-	-		
242011-003		2470 cm	1195 cm	505 cm	3+		-	-		
242311-001		2465 cm	1070 cm	385 cm	3+		-	-		
242415-001		2565 cm	1615 cm	505 cm	3+		-	-		
242917-001		3325 cm	1805 cm	505 cm	3+		-	-		

Characteristics of the ARENA products:



Galvanised steel construction or elements



Stainless steel elements



Composite panels



HDPE panels



Stainless steel chains



Durable connectors




Protective tops

# jumboo


## Jump to the sky!

Jumping on the trampolines is a great fun, but also a great training! It allows you to strengthen your muscles, improve fitness and coordination, and at the same time reduce stress and tension, allowing you to relax.


Our trampolines are available in various colours and thanks to the special structure of the elements, any combination of shapes.




2222




2211



2212




2213



2214



2221



2220



2223



2224

Product code		Product length	Product width	Product height	Age range	Safety zone	Free-fall height	Colour variants
2222	-	605 cm	380 cm	-	4 - 15	58,3 m <sup>2</sup>	90 cm	
2211	-	150 cm	150 cm	-	4 - 15	12,6 m <sup>2</sup>	90 cm	
2212	-	150 cm	150 cm	-	4 - 15	14,1 m <sup>2</sup>	90 cm	
2213	-	200 cm	200 cm	-	4 - 15	26,8 m <sup>2</sup>	90 cm	
2214	●	300 cm	150 cm	-	4 - 15	27,3 m <sup>2</sup>	90 cm	
2221	-	375 cm	375 cm	-	4 - 15	41,2 m <sup>2</sup>	90 cm	
2220	-	300 cm	300 cm	-	4 - 15	38,9 m <sup>2</sup>	90 cm	
2223	-	745 cm	325 cm	-	4 - 15	60,0 m <sup>2</sup>	90 cm	
2224	-	905 cm	680 cm	-	4 - 15	93,0 m <sup>2</sup>	90 cm	

Characteristics of the JUMPOO series:



Galvanised steel construction



Stainless steel elements



Surface: coloured rubber



Durable anti-slip PA lamellas

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# fitness

## Keeping fit!

The FITNESS series was created with wellness in mind, encouraging to train and lead a healthy lifestyle.

The series devices are available in several colour and material options which will allow you to create a professional outdoor gym responding to various needs.



1106



1103-1



1101



1108



1104-1



1105-1



1107-1



1102

Product code	♿	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
1106	●	134 cm	63 cm	141 cm	14+	140 kg	17,9 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1103-1	●	159 cm	38 cm	132 cm	14+	140 kg	13,6 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1101	●	101 cm	88 cm	199 cm	14+	140 kg	13,6 m <sup>2</sup>	99 cm	● ● ● ● ● ●	●	-
1108	●	77 cm	66 cm	137 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1104-1	●	69 cm	74 cm	167 cm	14+	140 kg	12,8 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1105-1	●	93 cm	83 cm	167 cm	14+	140 kg	13,1 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1107-1	●	101 cm	75 cm	167 cm	14+	140 kg	14,7 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1102	●	93 cm	79 cm	199 cm	14+	140 kg	12,8 m <sup>2</sup>	99 cm	● ● ● ● ● ●	●	-



1109



1110



1111-1



Product code	♿	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
1109	●	85 cm	44 cm	139 cm	14+	140 kg	11,3 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1110	●	85 cm	63 cm	174 cm	14+	140 kg	12,0 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1111-1	●	111 cm	49 cm	132 cm	14+	140 kg	13,2 m <sup>2</sup>	89 cm	● ● ● ● ●	●	-





1121



1120



1118



1113



1114



1112



1119



1115



1116-1



1117



1198

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction	
								steel	inox	robinia
1121	●	205 cm	150 cm	125 cm	14+	140 kg	16,0 m <sup>2</sup>	90 cm		-
1120	●	130 cm	60 cm	115 cm	14+	140 kg	13,5 m <sup>2</sup>	< 60 cm		-
1118	●	110 cm	50 cm	140 cm	14+	140 kg	12,4 m <sup>2</sup>	99 cm		-
1113	●	214 cm	123 cm	132 cm	14+	140 kg	16,8 m <sup>2</sup>	112 cm		-
1114	●	78 cm	65 cm	142 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm		-
1112	●	79 cm	71 cm	132 cm	14+	140 kg	12,1 m <sup>2</sup>	< 60 cm		-
1119	●	100 cm	45 cm	120 cm	14+	140 kg	11,9 m <sup>2</sup>	60 cm		-
1115	●	167 cm	64 cm	166 cm	14+	140 kg	15,0 m <sup>2</sup>	< 60 cm		-
1116-1	●	188 cm	75 cm	167 cm	14+	140 kg	16,4 m <sup>2</sup>	< 60 cm		-
1117	●	79 cm	66 cm	132 cm	14+	140 kg	12,0 m <sup>2</sup>	< 60 cm		-
1198	-	20 cm	22 cm	95 cm	-	-	-	-		-



1139


Mix!



1143



1145



Product code	♿	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
1139	●	212 cm	75 cm	167 cm	14+	140 kg	18,2 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1143	●	171 cm	75 cm	167 cm	14+	140 kg	17,4 m <sup>2</sup>	89 cm	● ● ● ● ● ●	●	-
1145	●	85 cm	67 cm	174 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1131	●	220 cm	88 cm	199 cm	14+	140 kg	17,2 m <sup>2</sup>	99 cm	● ● ● ● ● ●	●	-
1138	●	124 cm	75 cm	167 cm	14+	140 kg	16,1 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1146	●	86 cm	85 cm	139 cm	14+	140 kg	12,9 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1151	●	259 cm	75 cm	167 cm	14+	140 kg	19,4 m <sup>2</sup>	89 cm	● ● ● ● ● ●	●	-
1132	●	105 cm	88 cm	204 cm	14+	140 kg	13,8 m <sup>2</sup>	104 cm	● ● ● ● ● ●	●	-
1140	●	225 cm	93 cm	167 cm	14+	140 kg	18,2 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1147	●	134 cm	85 cm	174 cm	14+	140 kg	15,0 m <sup>2</sup>	89 cm	● ● ● ● ● ●	●	-
1152	●	141 cm	88 cm	208 cm	14+	140 kg	14,9 m <sup>2</sup>	108 cm	● ● ● ● ● ●	●	-
1133	●	141 cm	88 cm	204 cm	14+	140 kg	14,9 m <sup>2</sup>	104 cm	● ● ● ● ● ●	●	-
1141	●	137 cm	93 cm	167 cm	14+	140 kg	15,8 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1148	●	102 cm	85 cm	174 cm	14+	140 kg	13,3 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1153	●	214 cm	185 cm	208 cm	14+	140 kg	21,6 m <sup>2</sup>	112 cm	● ● ● ● ● ●	●	-
1134	●	100 cm	93 cm	199 cm	14+	140 kg	13,6 m <sup>2</sup>	99 cm	● ● ● ● ● ●	●	-
1142	●	123 cm	78 cm	167 cm	14+	140 kg	16,5 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1149	●	214 cm	146 cm	174 cm	14+	140 kg	20,1 m <sup>2</sup>	112 cm	● ● ● ● ● ●	●	-
1154	●	123 cm	88 cm	199 cm	14+	140 kg	14,3 m <sup>2</sup>	99 cm	● ● ● ● ● ●	●	-
1137	●	183 cm	85 cm	174 cm	14+	140 kg	15,6 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1144	●	99 cm	85 cm	174 cm	14+	140 kg	13,2 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1150	●	85 cm	85 cm	174 cm	14+	140 kg	12,8 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
1156	●	102 cm	85 cm	174 cm	14+	140 kg	13,2 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-





RB1104

RB1105

RB1106

RB1113

Product code	נגיש (Accessibility)	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB1104	●	75 cm	74 cm	178 cm	14+	140 kg	13,0 m <sup>2</sup>	< 60 cm	-	-	●
RB1105	●	93 cm	90 cm	178 cm	14+	140 kg	13,4 m <sup>2</sup>	< 60 cm	-	-	●
RB1106	●	140 cm	65 cm	141 cm	14+	140 kg	18,2 m <sup>2</sup>	< 60 cm	-	-	●
RB1113	●	218 cm	133 cm	145 cm	14+	140 kg	20,5 m <sup>2</sup>	112 cm	-	-	●



RB1116



RB1117



RB1112



RB1108



RB1111



RB1114



RB1109



RB1110



RB1198

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction	steel	inox	robinia
RB1116	●	188 cm	79 cm	178 cm	14+	140 kg	16,5 m <sup>2</sup>	< 60 cm	-	-	●	
RB1117	●	89 cm	70 cm	155 cm	14+	140 kg	12,5 m <sup>2</sup>	< 60 cm	-	-	●	
RB1112	●	85 cm	73 cm	145 cm	14+	140 kg	12,4 m <sup>2</sup>	< 60 cm	-	-	●	
RB1108	●	84 cm	70 cm	155 cm	14+	140 kg	12,3 m <sup>2</sup>	< 60 cm	-	-	●	
RB1111	●	119 cm	51 cm	143 cm	14+	140 kg	13,6 m <sup>2</sup>	89 cm	-	-	●	
RB1114	●	78 cm	73 cm	155 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	-	-	●	
RB1109	●	89 cm	47 cm	139 cm	14+	140 kg	11,6 m <sup>2</sup>	< 60 cm	-	-	●	
RB1110	●	85 cm	66 cm	174 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	-	-	●	
RB1198	-	20 cm	22 cm	95 cm	-	-	-	-	-	-	●	

## Characteristics of the FITNESS series:



Galvanised steel construction



Stainless steel construction or elements



Robinia wood construction



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops



Movable elements

## Colour &amp; material options\*:



Colour (construction in steel):

● C8 - NCS-S-1060-G-60Y

● C12 - RAL7040

● C16 - RAL6013

● C17 - RAL4008

● C3 - RAL5015

● C18 - NCS-S 2040-B10G

● Ci - stainless steel

● Painted steel

● Robinia wood



Construction:

● Stainles

● Deep



Anchoring:

- Surface

- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# workout

## As fit as a fiddle!

The WORKOUT series designed for development, keeping fit and returning to good physical condition. Steel and wooden structures with many bars and elements for training with the weight of your own body. Modern design, durable materials and colour options, perfect for creating a contemporary sports ground.



2324



2301



2302



2303



2304

New!



2305



2306



2318



2319



2320

Product code	Icon	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2324	-	458 cm	379 cm	241 cm	14+	140 kg	39,9 m <sup>2</sup>	228 cm	● ● ● ● ● ●	●	-
2301	-	194 cm	64 cm	72 cm	14+	140 kg	16,1 m <sup>2</sup>	72 cm	● ● ● ● ● ●	●	-
2302	-	194 cm	68 cm	122 cm	14+	140 kg	16,3 m <sup>2</sup>	112 cm	● ● ● ● ● ●	●	-
2303	-	194 cm	124 cm	122 cm	14+	140 kg	19,0 m <sup>2</sup>	112 cm	● ● ● ● ● ●	●	-
2304	-	342 cm	13 cm	138 cm	14+	140 kg	18,1 m <sup>2</sup>	127 cm	● ● ● ● ● ●	●	-
2305	-	151 cm	82 cm	83 cm	14+	140 kg	14,4 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
2306	-	158 cm	82 cm	83 cm	14+	140 kg	14,6 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
2318	-	60 cm	40 cm	20 cm	14+	140 kg	10,3 m <sup>2</sup>	< 60 cm	-	-	-
2319	-	70 cm	55 cm	40 cm	14+	140 kg	11,2 m <sup>2</sup>	< 60 cm	-	-	-
2320	-	80 cm	65 cm	60 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm	-	-	-



2307



2308



2309



2310



2311



2312



2313



2314



2315



2316



2317

Product code	♿	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2307	-	168 cm	12 cm	241 cm	14+	140 kg	12,7 m <sup>2</sup>	130 cm	● ● ● ● ● ●	●	-
2308	-	234 cm	12 cm	241 cm	14+	140 kg	24,5 m <sup>2</sup>	231 cm	● ● ● ● ● ●	●	-
2309	-	123 cm	12 cm	241 cm	14+	140 kg	19,7 m <sup>2</sup>	229 cm	● ● ● ● ● ●	●	-
2310	-	123 cm	12 cm	241 cm	14+	140 kg	18,9 m <sup>2</sup>	230 cm	● ● ● ● ● ●	●	-
2311	-	153 cm	123 cm	347 cm	14+	140 kg	29,2 m <sup>2</sup>	245 cm	● ● ● ● ● ●	●	-
2312	-	123 cm	86 cm	351 cm	14+	140 kg	25,5 m <sup>2</sup>	249 cm	● ● ● ● ● ●	●	-
2313	-	123 cm	12 cm	241 cm	14+	140 kg	11,3 m <sup>2</sup>	126 cm	● ● ● ● ● ●	●	-
2314	-	233 cm	122 cm	241 cm	14+	140 kg	20,6 m <sup>2</sup>	139 cm	● ● ● ● ● ●	●	-
2315	-	233 cm	59 cm	242 cm	14+	140 kg	17,2 m <sup>2</sup>	139 cm	● ● ● ● ● ●	●	-
2316	-	440 cm	130 cm	55 cm	14+	140 kg	22,9 m <sup>2</sup>	< 60 cm	● ● ● ● ● ●	●	-
2317	-	345 cm	15 cm	285 cm	14+	140 kg	20,2 m <sup>2</sup>	170 cm	● ● ● ● ● ●	●	-



2323

2325

2326



2327

2328



2399



2329

Product code	♿	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2323	-	348 cm	233 cm	241 cm	14+	140 kg	32,6 m <sup>2</sup>	240 cm	● ● ● ● ●	●	-
2325	-	489 cm	453 cm	347 cm	14+	140 kg	50,5 m <sup>2</sup>	245 cm	● ● ● ● ●	●	-
2326	-	543 cm	344 cm	241 cm	14+	140 kg	54,8 m <sup>2</sup>	228 cm	● ● ● ● ●	●	-
2327	-	608 cm	499 cm	251 cm	14+	140 kg	64,6 m <sup>2</sup>	228 cm	● ● ● ● ●	●	-
2328	-	789 cm	600 cm	347 cm	14+	140 kg	84,4 m <sup>2</sup>	245 cm	● ● ● ● ●	●	-
2329	-	1137 cm	789 cm	351 cm	14+	140 kg	129,1 m <sup>2</sup>	249 cm	● ● ● ● ●	●	-
2399	-	104 cm	12 cm	204 cm	-	-	-	-	● ● ● ● ●	●	-



RB2301



RB2302



RB2303



RB2304



RB2307



RB2308



RB2305



RB2306



RB2309



RB2310



RB2313



RB2312



RB2311

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction
									steel
									inox
RB2301	-	198 cm	69 cm	72 cm	14+	140 kg	16,4 m <sup>2</sup>	72 cm	-
RB2302	-	198 cm	75 cm	130 cm	14+	140 kg	16,7 m <sup>2</sup>	112 cm	-
RB2303	-	198 cm	131 cm	130 cm	14+	140 kg	19,5 m <sup>2</sup>	112 cm	-
RB2304	-	354 cm	19 cm	138 cm	14+	140 kg	19,0 m <sup>2</sup>	127 cm	-
RB2305	-	153 cm	89 cm	90 cm	14+	140 kg	14,7 m <sup>2</sup>	< 60 cm	-
RB2306	-	160 cm	89 cm	90 cm	14+	140 kg	14,9 m <sup>2</sup>	< 60 cm	-
RB2307	-	175 cm	18 cm	250 cm	14+	140 kg	14,0 m <sup>2</sup>	130 cm	-
RB2308	-	242 cm	19 cm	250 cm	14+	140 kg	26,4 m <sup>2</sup>	231 cm	-
RB2309	-	130 cm	19 cm	250 cm	14+	140 kg	21,4 m <sup>2</sup>	229 cm	-
RB2310	-	131 cm	20 cm	250 cm	14+	140 kg	21,3 m <sup>2</sup>	230 cm	-
RB2313	-	129 cm	18 cm	250 cm	14+	140 kg	12,3 m <sup>2</sup>	126 cm	-
RB2312	-	128 cm	90 cm	351 cm	14+	140 kg	27,0 m <sup>2</sup>	249 cm	-
RB2311	-	157 cm	128 cm	347 cm	14+	140 kg	30,9 m <sup>2</sup>	245 cm	-



RB2314

RB2315

RB2323

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction
									steel
									inox
RB2314	-	241 cm	129 cm	250 cm	14+	140 kg	22,1 m <sup>2</sup>	139 cm	-
RB2315	-	242 cm	59 cm	250 cm	14+	140 kg	17,9 m <sup>2</sup>	139 cm	-
RB2323	-	358 cm	241 cm	250 cm	14+	140 kg	34,7 m <sup>2</sup>	230 cm	-



RB2324



RB2325



RB2326



RB2327



RB2329



RB2328



SEE MORE!



RB2399

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction	steel	inox	robinia
RB2324	-	468 cm	384 cm	250 cm	14+	140 kg	42,2 m <sup>2</sup>	228 cm	-	-	-	●
RB2325	-	494 cm	464 cm	347 cm	14+	140 kg	52,3 m <sup>2</sup>	245 cm	-	-	-	●
RB2326	-	554 cm	352 cm	250 cm	14+	140 kg	57,8 m <sup>2</sup>	228 cm	-	-	-	●
RB2327	-	619 cm	508 cm	255 cm	14+	140 kg	68,2 m <sup>2</sup>	228 cm	-	-	-	●
RB2328	-	798 cm	607 cm	347 cm	14+	140 kg	92,4 m <sup>2</sup>	245 cm	-	-	-	●
RB2329	-	1150 cm	798 cm	351 cm	14+	140 kg	144,7 m <sup>2</sup>	249 cm	-	-	-	●
RB2399	-	109 cm	20 cm	210 cm	-	-	-	-	-	-	-	●

## Characteristics of the WORKOUT series:



Galvanised steel construction



Stainless steel construction or elements



Robinia wood construction



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops

## Colour &amp; material options\*:



Colour (construction in steel):

C8 - NCS-S-1060-G-60Y

C17 - RAL4008

Ci - stainless steel

C12 - RAL7040

C3 - RAL5015



Construction:

Painted steel

Robinia wood

Stainless steel

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# active

New series!

## Stay healthy!

Especially for seniors, we have prepared devices that help maintain or restore proper body movement. Keeping in good shape through activity is a very important issue, thanks to which the elderly can enjoy health even longer.



2701



2702



2703



2704



2705



2706

Product code	Icon	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2701	●	255 cm	105 cm	185 cm	14+	140 kg	20,5 m <sup>2</sup>	70 cm	● ● ● ● ●	●	-
2702	●	85 cm	35 cm	170 cm	14+	140 kg	11,0 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
2703	●	225 cm	225 cm	130 cm	14+	140 kg	19,7 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
2704	●	195 cm	40 cm	120 cm	14+	140 kg	14,1 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
2705	●	195 cm	60 cm	155 cm	14+	140 kg	14,3 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
2706	●	195 cm	65 cm	110 cm	14+	140 kg	14,4 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-



#### Characteristics of the ACTIVE series:



Galvanised steel construction



Stainless steel construction or elements



Movable elements



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops



Durable steel spring

#### Colour & material options\*:



Colour (construction in steel):

● C8 - NCS-S-1060-G-60Y

● C16 - RAL6013

● C3 - RAL5015

● Ci - stainless steel

● C12 - RAL7040

● C17 - RAL4008

● C18 - NCS-S 2040-B10G



Construction:

● Painted steel

● Stainless steel

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)


# park

## Small park architecture

The PARK series is a necessary complement to a kid-friendly playground.

Comfortable benches and tables, colourful litter bins, information boards and fences – all these elements ensure comfortable relaxation for children, their parents and caregivers.

The modern and aesthetically pleasing design of street furniture harmoniously blends in with the playground equipment.



0913



0923



0924



0925



0926



0911



0912



0916

New!



0900-2



0902-2

Product code		Product length	Product width	Product height	Colour options	Construction			
					HDPE	HPL	wood	steel	wood
0913	-	146 cm	129 cm	54 cm		-	-	-	-
0923	-	159 cm	35 cm	36 cm		-	-		-
0924	-	159 cm	42 cm	78 cm		-	-		-
0925	-	159 cm	35 cm	36 cm	-		-		-
0926	-	159 cm	42 cm	78 cm	-		-		-
0911	-	112 cm	49 cm	43 cm		-	-	-	-
0912	-	111 cm	50 cm	43 cm		-	-	-	-
0916	-	160 cm	40 cm	50 cm	-	-	-		-
0900-2	-	160 cm	38 cm	43 cm	-	-			-
0902-2	-	160 cm	48 cm	80 cm	-	-			-



See also from the ROBINIA series : p.110



Product code	♿	Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
0915	-	160 cm	57 cm	74 cm	-	-	●	●	-
0914	-	171 cm	160 cm	74 cm	-	-	●	●	-
0933	-	36 cm	35 cm	100 cm	-	●	-	●	-
0934	-	36 cm	35 cm	100 cm	● ● ● ● ●	-	-	●	-
0935	-	135 cm	35 cm	95 cm	-	-	-	● ●	-
0905-1	-	44 cm	31 cm	95 cm	-	-	-	● ●	-
0904	-	44 cm	31 cm	95 cm	-	-	-	● ●	-
0936	-	87 cm	8 cm	84 cm	-	-	-	●	-
0938	-	70 cm	12 cm	81 cm	-	-	-	●	-
0940	-	210 cm	47 cm	30 cm	-	-	-	●	-
0909	-	43 cm	32 cm	74 cm	● ●	-	-	●	-
0910	-	45 cm	32 cm	73 cm	● ●	-	-	●	-




WD1485



WD1484



WD1486



0920




0927



0929



0928



0921-1




0922

Product code		Product length	Product width	Product height	Colour options		Construction		
					HDPE	HPL	wood	steel	wood
WD1484	-	120 cm	13 cm	76 cm			-	-	
WD1485	-	170 cm	14 cm	76 cm			-	-	
WD1486	-	280 cm	12 cm	76 cm			-	-	
0920	-	205 cm	5 cm	90 cm	-		-		-
0927	-	105 cm	8 cm	90 cm	-		-		-
0928	-	315 cm	8 cm	90 cm	-		-		-
0929	-	105 cm	6 cm	95 cm	-		-		-
0921-1	-	261 cm	6 cm	116 cm		-	-		-
0922	-	112 cm	21 cm	120 cm	-	-	-		-



WD1483                    0906                    0907



0908

Product code		Product length	Product width	Product height	Colour options	Construction
					HDPE      HPL	steel      wood
WD1483	-	50 cm	10 cm	170 cm	-      -	-      -
0906	-	50 cm	4 cm	171 cm	-      -	●      -
0907	-	59 cm	4 cm	169 cm	-      -	●      -
0908	-	170 cm	15 cm	171 cm	-      -	●      ●

#### Characteristics of the PARK series:



Galvanised steel construction



Wood construction



Galvanised anchors



HDPE panels



HPL panels



Construction:



Anchoring:

● Painted steel      ● Robinia wood

● Stainless steel      - Surface

- Deep

#### Colour & material options\*:



Colour (panels):

● C1 HPL - RAL6000

● C2 HPL - RAL3000

● C3 HPL - RAL5024

● C6 HPL - RAL1017

● C9 HPL - wood pattern

● C12 HPL - RAL7038


● C11E HDPE - multicolour

● C12E HDPE - grey/black


\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# All products

**recycled**



# All products




# All products

**robinia**



# All products




# All products


**castillo**



**steeli+**



**wooden to picco**



# All products



# All products

**solo**



**minisweet**



**steel**






**crooc**



**climbo**



# All products


**climbo**

**nettix**

**spring**

# All products



# All products



242011-003 p.221 242311-001 p.221 242415-001 p.221 242917-001 p.221



2222 p.222 2211 p.222 2212 p.222 2213 p.222 2214 p.222 2221 p.222 2220 p.222 2223 p.222 2224 p.222



1106 p.224 1103-1 p.224 1101 p.224 1108 p.224 1104-1 p.224 1105-1 p.224 1107-1 p.224 1102 p.224 1109 p.225



1110 p.225 1111-1 p.225 1121 p.227 1120 p.227 1118 p.227 1113 p.227 1114 p.227 1112 p.227 1119 p.227



1115 p.227 1116-1 p.227 1117 p.227 1198 p.227 1139 p.228 1143 p.228 1145 p.228 1131 p.228 1138 p.228



1146 p.228 1151 p.228 1132 p.228 1140 p.228 1147 p.228 1152 p.228 1133 p.228 1141 p.228 1148 p.228



1153 p.228 1134 p.228 1142 p.228 1149 p.228 1154 p.228 1137 p.228 1144 p.228 1150 p.228 1156 p.228



RB1104 p.230 RB1105 p.230 RB1106 p.230 RB1113 p.230 RB1116 p.231 RB1117 p.231 RB1112 p.231 RB1108 p.231 RB1111 p.231



RB1114 p.231 RB1109 p.231 RB1110 p.231 RB1198 p.231



2324 p.232 2301 p.232 2302 p.232 2303 p.232 2304 p.232 2305 p.232 2306 p.232 2318 p.232 2319 p.232


**arena**  
**jumpoo**

**fitness**

**wor**kout****

# All products

## workout



## active



## park



# Index

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
0100C1	168	0403	186	0630	198	0817	167	1104-1	224	1606	193	1750	187
0101-1C1	168	0404-1	186	0631	198	0820	154	1105-1	224	1607	193	1751	157
0102C2	169	0405-1	186	0632	198	0821	155	1106	224	1608	193	1752	157
0103C1	168	0406	186	0633	197	0822	155	1107-1	224	1609	194	1753	157
0104C9	169	0407	186	0651	196	0823	167	1108	224	1610	194	1754	157
0105C3	169	0408	186	0652	196	0824	155	1109	225	1630	194	1755	157
0106-1C1	168	0409	186	0653	196	0825	154	1110	225	1631	194	1756	157
0107C3	169	0410	186	0654	196	0826	154	1111-1	225	1632	192	1757	157
0108-2C2	169	0411	186	0655	196	0830	156	1112	227	1633	194	1758	157
0109-1C9	169	0412	188	0660	199	0831	156	1113	227	1634	194	1759	157
0110	171	0413-1	188	0670	199	0832	156	1114	227	1635	194	1760	165
0111	171	0414-1	188	0671	199	0840	155	1115	227	1636	194	1761	165
0112	171	0415	191	0672	199	0841	155	1116-1	227	1637	194	1762	165
0113	171	0416-1	189	0673	196	0900-2	240	1117	227	1638	192	1763	165
0114	171	0417-1	189	0674	199	0902-2	240	1118	227	1639	195	1770	165
0120	162	0418-1	189	0681	201	0904	241	1119	227	1640	195	1771	165
0121	162	0419-1	189	0682	199	0905-1	241	1120	227	1701	133	1772	165
0122	162	0420	191	0685	162	0906	243	1121	227	1702	132	1780	139
0200C9	172	0420H	191	0700-1	214	0907	243	1131	228	1703	134	1790	137
0201-1C9	172	0421	191	0701-1	214	0908	243	1132	228	1704	134	2211	222
0202-1C1	173	0421H	191	0702-2	213	0909	241	1133	228	1705	134	2212	222
0203-1C1	173	0498	187	0703-1	212	0910	241	1134	228	1706	135	2213	222
0204C9	172	0499	186	0705-2	213	0911	240	1137	228	1707	135	2214	222
0205-1C2	173	0600-1	198	0706-1	213	0912	240	1138	228	1708	135	2220	222
0206C3	173	0601-1	198	0708-1	213	0913	240	1139	228	1709	132	2221	222
0207C2	173	0602	196	0710	214	0914	241	1140	228	1710	135	2222	222
0208C3	173	0603	196	0711	215	0915	241	1141	228	1711	135	2223	222
0209C3	173	0604-1	196	0712	214	0916	240	1142	228	1712	135	2224	222
0210-1C3	175	0606	197	0713	214	0920	242	1143	228	1713	135	2301	232
0211-1C3	175	0607-1	197	0714	215	0921-1	242	1144	228	1714	187	2302	232
0212C1	173	0608-2	197	0720	212	0922	242	1145	228	1716	187	2303	232
0213C2	173	0609	197	0726	212	0923	240	1146	228	1717	135	2304	232
0214C3	175	0610	199	0728	212	0924	240	1147	228	1720	165	2305	232
0300	176	0611-1	198	0800	158	0925	240	1148	228	1721	165	2306	232
0300S1	176	0612-1	201	0801-1	158	0926	240	1149	228	1722	165	2307	233
0301	177	0613-1	198	0802-1	158	0927	242	1150	228	1723	132	2308	233
0301S1	177	0615-1	197	0804	162	0928	242	1151	228	1724	133	2309	233
0302	178	0616	197	0806-1	162	0929	242	1152	228	1725	133	2310	233
0302S1	178	0617-1	201	0808-1	162	0933	241	1153	228	1726	133	2311	233
0303	176	0619	201	0809	162	0934	241	1154	228	1727	136	2312	233
0304	176	0621-1	201	0810	154	0935	241	1156	228	1728	136	2313	233
0305	176	0622	197	0811	154	0936	241	1198	227	1730-1	136	2314	233
0306	176	0623	197	0812	154	0938	241	1601	192	1731	136	2315	233
0310	176	0624	201	0813	154	0940	241	1602	192	1736	139	2316	233
0330	181	0625	201	0814C9	172	1101	224	1603	192	1740	136	2317	233
0401	186	0626	199	0815-2C9	172	1102	224	1604	192	1741	137	2318	232
0402	186	0627	200	0816	167	1103-1	224	1605	193	1745	137	2319	232

# Index

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
2320	232	3027-1	127	RB1105	230	RB1251	86	RB1298	97	RB1362	104	RB2310	235
2323	234	3028-1	127	RB1106	230	RB1252	86	RB1299	97	RB1363	104	RB2311	235
2324	232	3029-1	129	RB1108	231	RB1253	86	RB1301	74	RB1364	104	RB2312	235
2325	234	3030-1	127	RB1109	231	RB1254	86	RB1302	74	RB1365	104	RB2313	235
2326	234	3031-1	129	RB1110	231	RB1255	86	RB1305	74	RB1366	104	RB2314	236
2327	234	3040-1	126	RB1111	231	RB1256	86	RB1306	72	RB1369	104	RB2315	236
2328	234	3041-1	129	RB1112	231	RB1257	86	RB1307	72	RB1372	105	RB2323	236
2329	234	3045-1	129	RB1113	230	RB1258	86	RB1308	72	RB1373	105	RB2324	237
2399	234	3060-1	130	RB1114	231	RB1259	86	RB1309	72	RB1375	105	RB2325	237
240606-001	220	3080	131	RB1116	231	RB1260	86	RB1310	94	RB1380	90	RB2326	237
240606-002	220	3101	141	RB1117	231	RB1261	89	RB1311	74	RB1381	96	RB2327	237
241308-001	220	3102	141	RB1198	231	RB1262	89	RB1312	94	RB1382	96	RB2328	237
241308-002	221	3103	141	RB1201	76	RB1263	87	RB1313	75	RB1383	96	RB2329	237
241708-001	221	3104	141	RB1202	76	RB1264	87	RB1314	75	RB1385	109	RB2399	237
241708-002	221	3201	118	RB1203	76	RB1265	87	RB1315	75	RB1385H	109	RB2851	100
242011-001	221	3202	118	RB1205	76	RB1266	87	RB1316	75	RB1386	109	RB2852	100
242011-002	221	3203	118	RB1206	76	RB1267	87	RB1319	94	RB1386H	109	RB2854	100
242011-003	221	3204	118	RB1207	76	RB1268	111	RB1321	85	RB1387	110	RB2856	100
2421	220	3227	119	RB1211	78	RB1269	88	RB1322	85	RB1388	110	RB2859	100
2422	220	3230	119	RB1215	78	RB1270	88	RB1323	85	RB1389	110	RB2862	100
2423	220	3231	118	RB1216	79	RB1271	88	RB1324	85	RB1390	110	RB2864	100
242311-001	221	3240	119	RB1217	79	RB1272	89	RB1326	99	RB1391	110	RB2866	101
242415-001	221	3241	120	RB1218	92	RB1273	89	RB1327	99	RB1392	110	RB2867	101
242917-001	221	3245	120	RB1219	92	RB1274	89	RB1328	99	RB1393	110	RC0499	58
2431	220	3260	121	RB1220	92	RB1275	91	RB1330	99	RB1394	110	RC0522	64
2432	220	3401	122	RB1221	92	RB1276	91	RB1331	98	RB1395	110	RC0606	61
2441	220	3402	122	RB1222	92	RB1277	91	RB1333	99	RB1396	111	RC0607	60
2451	220	3403	122	RB1223	93	RB1278	88	RB1334	74	RB1397	111	RC0608	61
2452	220	3404	122	RB1224	93	RB1279	88	RB1336	102	RB1398	111	RC0609	61
2495	220	3427	122	RB1227	85	RB1280	89	RB1337	102	RB1399	110	RC0612	61
2498	220	3430	123	RB1228	85	RB1281	91	RB1338	102	RB1421	106	RC0615	61
2502	116	3431	123	RB1229	85	RB1282	90	RB1339	102	RB1422	106	RC0619	61
2503	116	3440	124	RB1231	81	RB1283	88	RB1340	102	RB1423	107	RC0622	60
2504	116	3441	124	RB1232	81	RB1284	88	RB1341	103	RB1424	106	RC0627	61
2505	116	3445	124	RB1233	81	RB1285	90	RB1342	103	RB1491	106	RC0630	60
2506	117	3460	125	RB1234	81	RB1286	88	RB1343	103	RB1492	107	RC0633	60
2507	117	RB0510	108	RB1235	81	RB1287	88	RB1344	103	RB1494	107	RC0660	62
2701	238	RB0511	108	RB1236	81	RB1288	88	RB1345	102	RB1497	107	RC0670	62
2702	238	RB0512	108	RB1237	81	RB1289	89	RB1346	102	RB2301	235	RC0671	62
2703	238	RB0513	107	RB1238	82	RB1290	97	RB1347	99	RB2302	235	RC0685	56
2704	238	RB0514	108	RB1241	80	RB1291	97	RB1348	110	RB2303	235	RC0712	63
2705	238	RB0515	109	RB1242	80	RB1292	97	RB1349	110	RB2304	235	RC0800	52
2706	238	RB0517	107	RB1243	80	RB1293	97	RB1350	110	RB2305	235	RC0801	53
3001-1	126	RB0520	107	RB1244	80	RB1294	97	RB1351	106	RB2306	235	RC0802	53
3002-1	126	RB0521-1	109	RB1245	80	RB1295	97	RB1352	106	RB2307	235	RC0810	54
3003-1	126	RB0700	105	RB1246	80	RB1296	97	RB1357	89	RB2308	235	RC0811	54
3004-1	127	RB1104	230	RB1247	84	RB1297	97	RB1361	104	RB2309	235	RC0812	54

# Index

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
RC0813	54	RC1438	48	RC1477	55	ST0518	211	WD1414	150	WD1449	148	WD1486	242
RC0816	56	RC1439	49	RC1478	55	ST0519	211	WD1415	150	WD1450	148	WD1487	183
RC0817	56	RC1440	57	RC1482	52	ST0520	205	WD1416	158	WD1451	149	WD1491	207
RC0824	52	RC1441	57	RC1483	66	ST0521	211	WD1417	182	WD1452	149	WD1492	208
RC0825	54	RC1442	57	RC1484	66	ST0522	202	WD1418-1	150	WD1453	149	WD1494	208
RC0921	66	RC1443	57	RC1485	66	ST0533	210	WD1419	182	WD1454	148	WD1497	208
RC0923	66	RC1444	57	RC1486	66	ST0524	202	WD1420	182	WD1455	159	WD1501	144
RC0924	66	RC1445	57	RC1492	64	ST0525	202	WD1421-1	207	WD1456	159	WD1502	145
RC0934	66	RC1446	57	RC1501	47	ST0528	202	WD1422-1	207	WD1457-1	159	WD1503	142
RC1401	46	RC1447	57	RC1502	47	ST0529	203	WD1423-1	208	WD1458	159	WD1504	145
RC1402	46	RC1448	57	RC1503	46	ST0530-1	203	WD1424-1	207	WD1459	183	WD1505	144
RC1403	46	RC1449	48	RC1504	47	ST0531	203	WD1425	202	WD1460	183	WD1506	144
RC1404	48	RC1450	49	RC1505	47	ST1421	205	WD1426	182	WD1461	184	WD1534	140
RC1405	48	RC1451	49	RC1506	47	ST1422	205	WD1427	160	WD1462	183	WD1541	140
RC1406	48	RC1452	49	RC1550	51	ST1423	206	WD1428	182	WD1463	184	WD1542	140
RC1407	46	RC1455	52	RC1551	51	ST1424	205	WD1429	159	WD1464	182	WD1550	153
RC1408	48	RC1456	52	RC1552	51	ST1491	205	WD1430	153	WD1465	183	WD1551	153
RC1409	48	RC1457	52	RC1560	55	ST1492	206	WD1431	153	WD1466	182	WD1552	153
RC1410	48	RC1458	53	RC1561	55	ST1494	206	WD1432	153	WD1467	160	WD1560	161
RC1411	49	RC1459	58	RC1562	55	ST1497	206	WD1433	150	WD1468	160	WD1561	161
RC1412	49	RC1460	58	RC1563	55	WD0520	207	WD1434	145	WD1469	160	WD1562	161
RC1413	49	RC1461	58	RC1564	55	WD1401	142	WD1436	145	WD1470	160	WD1563	161
RC1414	50	RC1462	58	RC1565	55	WD1402	142	WD1437	142	WD1471	160	WD1564	161
RC1415	50	RC1463	58	RC1580	51	WD1403	142	WD1438	146	WD1472	160	WD1565	161
RC1416	52	RC1467	55	RC1581	51	WD1404	146	WD1439	149	WD1473	161	WD1580	150
RC1418	51	RC1468	55	ST0500	202	WD1405	146	WD1440	156	WD1474	161	WD1581	150
RC1419	58	RC1469	55	ST0509	210	WD1406	146	WD1441	156	WD1475	161	WP2850	166
RC1425	64	RC1470	55	ST0510	204	WD1407	142	WD1442	156	WD1476	161	WP2853	166
RC1427	52	RC1471	55	ST0511	204	WD1408	146	WD1443	156	WD1477	161	WP2855	166
RC1429	53	RC1472	55	ST0512	204	WD1409	147	WD1444	156	WD1478	161	WP2858	166
RC1433	51	RC1473	55	ST0513	202	WD1410	147	WD1445	156	WD1482	158	WP2863	166
RC1434	47	RC1474	55	ST0515	209	WD1411	148	WD1446	156	WD1483	243		
RC1436	47	RC1475	55	ST0516	209	WD1412	148	WD1447	156	WD1484	242		
RC1437	46	RC1476	55	ST0517	209	WD1413	148	WD1448	156	WD1485	242		

# Legend

	Colour variants		Rubber / PP protective tops
	Facilitated access for children with disabilities		Spinning elements
	100% recycled HDPE		HDPE - high density polyethylene panels
	Reinforced belt fabric		Stainless steel or PE tube slides
	Carousel platforms made of HPL		Climbing stones
	Polycarbonate (PC) panels		Attested stainless steel chains
	Composite panels		UV printed PC panels
	Composite posts		Construction made of impregnated laminated wood, post dimensions: 90 x 90 mm
	Steel construction and/or elements made of hot-dip galvanised and powder coated steel		Steel spring 20 mm, sand-blasted, iron phosphated and double powder coated
	HPL - the highest quality, water and UV resistant high pressure laminated panels		Stainless steel or fiberglass slides with side panels made of HDPE or HPL
	Connectors, screws, washers and nuts made of stainless steel and/or galvanised steel protected with plastic caps		Tunnels made of durable, vandal-proof, double-layered material
	Polypropylene (PP) or Nylon combination ropes with steel core		Certified swing seats: - Flat seats of rubber compound with aluminium insert - Toddler seats for small children with soft gripping
	Stainless steel (AISI 304 or 316) - stainless steel structure - stainless handrails and rods		Platforms and climbing walls made from anti-slip and waterproof plywood or HPL HEXA panels – effective protection against environmental factors and wear-resistant
	Anchoring options: - deep to the ground – 55 cm - to concrete with plates – 5 cm - to concrete with plates – 55 cm		

\*The colours of the products in this catalogue may not correspond to the actual ones. Vinci Group reserves the right to make any changes and upgrades of its products at any time without notice. Information provided in this catalogue was accurate at the time of printing. Vinci Group accepts no responsibility for any loss or damage caused to any person or company as a result of any error, omission or misleading information, and this catalogue does not oblige to any form of contract.



**vinci  
play**

**PLAYGROUND EQUIPMENT**

[www.vinci-play.com](http://www.vinci-play.com)

Contact us for a free consultation:

**Emily Lovell: 07889059758**  
[emily.lovell@idverde.co.uk](mailto:emily.lovell@idverde.co.uk)

**Amy Yard: 07434204232**  
[amy.yard@idverde.co.uk](mailto:amy.yard@idverde.co.uk)



In partnership with

**vinci  
play**



**Regional Office:**  
**Octavia House, Westwood Business Park,**  
**Westwood Way, Coventry, West Midlands, CV4 8JP.**

[info@idverde.co.uk](mailto:info@idverde.co.uk)

[www.idverde.co.uk/play](http://www.idverde.co.uk/play)